Batna sp. z o. o.

ul. 1 Maja 23 09:00-16:00
42-217 Częstochowa
tel: +48 34 361 04 48
fax: +48 575 799 399

Extralink Lite 4U 10" 280X310 Grey | Rack cabinet | wall-mounted

5 907207 228860 >

link to the product:
https://www.batna24.com/gb/p/rack-cabinets/extralink-lite-4u-10-280x310-grey-rack-cabinet-wall-mounted

Price: **104.00 zł** gross / 84.55 zł net

Manufacturer: EXTRALINK

Referention number: DNXGHJLMDRMLOP

Information:

The Extralink rack cabinet, with a height of 4U and a 10-inch standard, is the perfect solution for offices and small server rooms, offering efficient use of space. Made from high-quality steel, it ensures the safety of stored equipment and orderly cable management. Equipped with tempered glass doors and a lock, it allows for easy access and additional security for devices. The removable side panels and clear assembly instructions make installation quick and straightforward, enabling you to assemble the cabinet independently. The cabinet dimensions are 280 mm in width and 310 mm in depth, and it comes with 10 sets of cage nuts. This cabinet is ideal for organising network equipment in various environments, combining practicality with aesthetics.

Product features

Width	280 mm
Depth	310 mm
Colour	Gray
Rack capacity	4U
Size (imperial)	10 "
Front door construction	Glass
Product colour	Grey
Type	Wall mounted rack

Full product description

Extralink brand rack cabinet - 4U, 10" 280X310mm Gray

Extralink 's **4U** high, **10-inch** standard **rack cabinet** is designed to make efficient use of limited space in **offices** and **network server rooms**. Its well-thought-out design allows for quick and secure **wall-mounting of** key components, such as switches or **CCTV** equipment. The use of high-quality steel ensures that stored equipment is protected and **cable management** becomes intuitive and orderly. It is equipped with a tempered glass window, in addition, the front door can open to the left or right side.

Clearly marked cabinet height

The vertical rails have a corresponding height designation, which is **4U (from unit)**. The width of the cabinet is 280 mm and the depth is 310 mm.

Thoughtful design

The **latches** on the side walls make it possible to remove them. On the ceiling of the cabinet, **a place** has been prepared **for installing a fan** for better cooling of the equipment, and **an additional grommet** for cable pulling has been placed there.

Easy Installation In Just A Few Minutes

With clear instructions and a complete set of screws, assembling the cabinet is quick and intuitive. You can easily do it yourself - no need to call a technician!

Key features

- **Type:** 10" rack type hanging (wall) cabinet
- **Dimensions:**
  - Width: 280 mm
  - Depth: 310 mm
- **Front door:** Equipped with tempered glass and small round lock.
- **Side panels:** Removable (removable).
- **Construction (Thickness of steel):**
  - Mounting profiles: 1.5 mm
  - Other components: 0.8 mm
- **Accessories included:** 10 sets of cage (basket) nuts.
- **Not included:** Fan (fan), mounting rails, shelf, power strip (PDU).
- **Packaging:** Flat (for self-assembly).

EXTRALINK
Built-in cooling vent
Lockable tempered glass door
Welded frame
16:18
Monday, February 27


EXTRALINK
240mm
310mm
280mm


Large selection of
Extralink server racks
Adapt the cupboard to your needs!
4U
6U
9U
12U
15U
18U
HEIGHT
276 mm
365 mm
498 mm
632 mm
765 mm
898 mm
EXTRALINK
4U
6U
9U
12U
15U
18U