



Extralink Pilot 4.5mm 25m | Cable pulling rod | glass fibre FRP, d. 4.5mm, l. 25m, yellow




link to the product:

<https://www.batna24.com/gb/p/cable-pulling-pilots/extralink-pilot-45mm-25m-cable-pulling-rod-glass-fibre-frp-d-45mm-l-25m-yellow>

Price: **210.00 zł** gross / 170.73 zł net

Manufacturer: EXTRALINK



Referention number: DNXGGKJLKRMMJH

Information:

The Extralink cable pulling rod 4.5 mm 25 m is a durable FRP fibre coated with yellow PE plastic, which provides good protection, flexibility and excellent sliding properties. Thanks to its high elasticity and resistance to bending and breaking, it is ideal for pulling cables between manholes, under roads, in suspended ceilings, and for feeding cables into protective conduits. A practical stand with a powder-coated frame, manual brake and guiding eyelet makes unwinding, transport, storage and convenient use easier. The end finished with a guiding head increases work precision.

Product features

Rod length	25 m
Rod diameter	4.5 mm

Full product description

Extralink 4.5mm 25m cable pulling pilot

Cable pulling pilot made of FRP fiberglass **with a diameter of 4.5 mm and a length of 25meters** placed on a special stand for easy unwinding. Fiber with high elasticity and resistance to bending and tearing, covered with yellow PE plastic which has a protective function and provides good sliding characteristics. Fiber rack powder-coated in blue, equipped with a manual brake to lock the drum, and a special "eyelet" to guide the fiber. The design of the rack ensures functional transportation, storage, and use itself. The end of the fiber ended with a guiding head

Extralink Pilot

4.5mm 25m


professional FRP fibreglass
cable pulling pilot, mounted
on a stable stand.



Application:

- Pulling cables between telecommunication chambers
- Pushing cables under roads
- Installations in false ceilings
- Cleaning, unblocking pipes, culverts, sewers
- Inserting cables into protective tubes

**The rack's clever design
makes it easy to transport
and store the unit**



Robust and flexible FRP glass fibre

resistant to bending and fracture, covered with protective PE plastic



**Sturdy,
powder-coated
stand with manual
brake to prevent
accidental unfolding**



Flexible and extremely flexible FRP glass fibre

ideal for harsh environments



The ideal tool for pulling cables in electrical, fibre optic and telecommunications installations

