

Extralink Pilot 4.5mm 75m | Cable pulling rod | glass fibre FRP, d. 4.5mm, l. 75m, yellow



link to the product:

<https://www.batna24.com/gb/p/cable-pulling-pilots/extralink-pilot-45mm-75m-cable-pulling-rod-glass-fibre-frp-d-45mm-l-75m-yellow>

Price: **359.00 zł** gross / 291.87 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFNIPLRMMNO

Information:

The Extralink cable pulling rod with a diameter of 4.5 mm and a length of 75 m is made of durable FRP fibreglass, resistant to bending and breaking. The yellow PE coating protects the rod and ensures good glide during operation. The whole unit is mounted on a sturdy powder-coated stand with a manual drum brake and a guiding eyelet, which makes unwinding, transport, storage and use easier. The rod is suitable for pulling cables in telecommunication chambers, under roads, in suspended ceilings, and for pushing through and cleaning pipes, ducts and sewage systems.

Product features

Rod length	75 m
Rod diameter	4.5 mm
Product colour	Blue

Full product description

Extralink 4.5mm 75m cable pulling pilot

Cable pulling pilot made of FRP fiberglass with a diameter of 4.5 mm and a length of 75 meters placed on a special stand for easy unwinding. Fiber with high elasticity and resistance to bending and tearing, covered with yellow PE plastic that serves a protective function and provides good sliding characteristics. Fiber rack powder-coated in blue, equipped with a manual brake to lock the drum, and a special "eyelet" to guide the fiber. The design of the rack ensures functional transportation, storage, and use itself. The end of the fiber ended with a guiding head

Extralink Pilot

4.5mm 75m


professional FRP fibreglass
cable pulling pilot, mounted
on a stable stand.



Application:

- Pulling cables between telecommunication chambers
- Pushing cables under roads
- Installations in false ceilings
- Cleaning, unblocking pipes, culverts, sewers
- Inserting cables into protective tubes

**The rack's clever design
makes it easy to transport
and store the unit**



Robust and flexible FRP glass fibre

resistant to bending and fracture, covered with protective PE plastic



**Sturdy,
powder-coated
stand with manual
brake to prevent
accidental unfolding**



Flexible and extremely flexible FRP glass fibre

ideal for harsh environments



The ideal tool for pulling cables in electrical, fibre optic and telecommunications installations

