



**MIKROTIK HAP AX S
E62IUGS-2AXD5AXT WIFI 6
ACCESS POINT, 5X GE, 2.5G
SFP, POE IN/OUT**



link to the product:

<https://www.batna24.com/gb/p/access-points/mikrotik-hap-ax-s-e62iugs-2axd5axt-wifi-6-access-point-5x-ge-25g-sfp-poe-in-out>

Price: **273.06 zł** gross / 222.00 zł net



Manufacturer: MIKROTIK

Referention number: DNXGKHQQKRMNII

Full product description

Wireless future at your fingertips

MikroTik hAP AX S E62IUGS-2AXD5AXT is an access point that will provide you with exceptional network performance thanks to its support for **Wi-Fi 6**. Thanks to modern technologies such as **PoE** and **SFP 2.5G**, the device guarantees flexibility and easy integration into your existing network infrastructure. It's the ideal solution for home, office or small businesses looking for a reliable access point with high performance.



hAP ax S

High-performance SOHO Wi-Fi 6
with unbeatable value.



Wi-Fi 6 for better performance

The MikroTik hAP AX S offers **Wi-Fi 6**, which translates into higher throughput and better signal quality in congested networks. With **OFDMA** and **MU-MIMO technology**, the device supports more devices simultaneously, eliminating latency and improving network performance. **Wi-Fi 6** on the **2.4 GHz** band offers **574 Mbit/s** and on the **5 GHz** band as much as **1,800 Mbit/s**, enabling smooth data transfer even in demanding conditions.




Increased number of Ethernet ports

The MikroTik hAP AX S is equipped with **5 Gigabit Ethernet ports**, providing stable wired connections for bandwidth-hungry devices. In addition, one of the ports offers **PoE-out**, which increases flexibility in network configuration. On the other hand, an **SFP** port supporting **2.5G** allows high-speed connectivity to other devices in a fiber network, increasing local network performance.



PoE compatibility

The **MikroTik hAP AX S** access point supports **PoE-in**, which allows the device to be powered via an Ethernet cable, eliminating the need for a separate power supply. In addition, it offers **PoE-out** on one of its ports, allowing it to power other **PoE** devices without the need for additional power cables. This makes the device ideal for installation in locations where access to electrical outlets is limited



Optimized processor and memory

The device is equipped with a **950 MHz dual-core ARM processor** and **512 MB of RAM**, ensuring smooth operation and the ability to support multiple users simultaneously. **RouterOS v7**, the device's operating system, offers advanced network management features such as VPN configuration, routing and monitoring, allowing full control over network operations. NAND memory of **128 MB** provides sufficient space for saving configuration and software updates



Support for VPN technology

The **MikroTik hAP AX S** supports **VPN** technologies, which allows for a secure connection to a remote network. This allows the device to act as a VPN gateway in small and medium-sized businesses, providing secure access to network resources. The ability to configure different types of **VPNs** makes the device flexible and adaptable to different user needs.

