



## EXTRALINK POWERBANK SOLARNY 12000MAH JUMP STARTER 1500A LAMPA LATARKA



link to the product:

<https://www.batna24.com/gb/p/power-banks/extralink-powerbank-solarny-12000mah-jump-starter-1500a-lampa-latarka>

Price: **299.00 zł** gross / 243.09 zł net

Manufacturer: EXTRALINK



Referention number: DNXGKINNDMMHQ

### Information:

The compact jump starter power bank combines powerful 1500A starting power with a 12000 mAh capacity, enabling you to start petrol cars up to 5.0L and diesel engines up to 3.5L, as well as motorcycles, SUVs and boats. It allows you to charge up to 6 devices at the same time thanks to the built-in USB-C, USB-A and iOS cables and additional ports, while 45W fast charging shortens the time needed to top up the battery. The integrated solar panel supports charging in the field. The device also offers a torch with SOS mode, a TFT screen, a compass, a thermometer and a bottle opener. The durable IP65 housing operates in temperatures from -20°C to +60°C and provides multi-level protection against overcharging, short circuits, reverse connection and overheating.

### Full product description

#### Powerful starting energy within easy reach

Forget the stress of a flat battery at the worst possible moment. This jump starter power bank delivers a peak current of **1500A** and a capacity of **12000 mAh**, enabling you to start petrol engines up to 5.0L and diesel engines up to 3.5L with ease. This versatile device is ideal for motorcycles, cars, SUVs and boats, giving you peace of mind on every journey.

# JUMP STARTER I POWERBANK 12000mAh

PRĄD SZCZYTOWY  
**5000A**



Diesel 3.5L



Benzyna 5.0L



Motocykl



Samochód



SUV



Łódź

## Fast charging for multiple devices at once

Gain complete energy independence and power up to **6 devices at the same time**, without unnecessary waiting. The device offers four built-in cables (USB-C, USB-A and iOS) and four additional output ports, allowing you to quickly top up smartphones, tablets or portable consoles. Fast-charging technology with a power output of **45W** significantly reduces charging time, while the integrated solar panel helps you draw free energy from the sun in outdoor conditions.

# POWERBANK

Ładowanie 6 urządzeń jednocześnie

4 wbudowane kable:



2 USB-C / USB-A / iOS

4 porty USB:



2 USB-A / 1 USB-C / 1 iOS



Szybkie  
ładowanie  
45W



Panel  
solarny

## Essential survival functions in a compact housing

This handy jump starter power bank fits easily into a car door pocket, and you can also clip it to a trekking backpack using the practical carabiner. The housing, measuring 18.5 x 9.8 x 3.8 cm, contains useful outdoor extras such as a **built-in compass, thermometer and bottle opener**. This gives you not only a power source, but also a practical tool kit that makes it easier to navigate in the field and improves comfort while camping.



# Kompaktowy towarzysz każdej podróży



Karabińczyk



Otwieracz do butelek

18,5cm

9,8cm

3,8cm

# Pewny rozruch w każdej trasie

Energia awaryjna zawsze pod ręką



Kompas



Termometr

## Instant engine starting in three steps


Getting your vehicle back up and running is intuitive and requires no specialist technical knowledge. The whole procedure comes down to plugging the jump lead into the device, correctly attaching the clamps to the battery terminals and turning the key in the ignition. Simple operation means you can **get back on the road in no time**, without having to ask other drivers for help or wait for roadside assistance.



# URUCHAMIANIE SILNIKA

## Krok 1

Podłącz przewód rozruchowy do jump startera




## Krok 2

Prawidłowo podłącz zaciski do akumulatora samochodowego



## Krok 3

Uruchom silnik samochodu



### Multi-function lighting and clear parameter display

The integrated high-power light source offers a standard torch mode, strobe mode and SOS signal, helping to keep you visible and safe after dark. The design, enhanced with an **infrared laser**, makes precise work in the dark easier, while the colourful, clear TFT screen continuously displays the charge level and current voltage. This set of functions makes it easier to diagnose faults under the bonnet and lets you maintain full control over the energy status.

# Awaryjne źródło światła o dużej mocy




Latarka




Stroboskop



SOS



Laser w  
podczerwieni



Czytelny ekran TFT  
z parametrami  
ładowania

## Reliable performance in extreme temperatures and tough terrain

The device has been designed for intensive use in harsh environments, as confirmed by its **IP65 protection rating**. The housing is highly resistant to strong shocks and drops, and also protects the components from dust ingress and water jets. A wide operating temperature range from -20°C to +60°C means the device remains fully ready for use both in severe winter frosts and during summer heatwaves.



# Wytrzymała konstrukcja dostosowana do trudnych warunków



Wstrząsoodporny



Pyłoszczelny



Wodoodporny

Zakres pracy w trudnych warunkach  
**od  $-20^{\circ}\text{C}$  do  $+60^{\circ}\text{C}$**

## Advanced protection for complete safety

The use of a multi-level electronic protection system eliminates the risk of damage to the vehicle's electrical system and the power bank itself. The built-in circuits actively monitor the energy transfer process, protecting against the most common user errors and current anomalies. The device offers effective protection against:

- overcharging and deep discharge,
- surges and dangerous short circuits,
- excessive current and overload,
- reverse connection of the clamps,
- overheating and extremely high temperature.

This means every emergency car start is carried out in a fully controlled and safe manner.



# ZAAWANSOWANY SYSTEM ZABEZPIECZEŃ



Ochrona przed  
przeladowaniem



Ochrona przed  
przebieciem



Ochrona przed  
nadmiernym prądem



Ochrona przed  
odwrotnym podłączeniem



Ochrona przed  
zwarcieniem



Ochrona przed  
przegrzaniem



Ochrona przed  
niskim napięciem



Ochrona przed  
przeciążeniem



Ochrona przed  
wysoką temperaturą

