



EXTRALINK SMART GLASS PANEL HEATER, WHITE, 2000W, WIFI, LPL-23A



link to the product:

<https://www.batna24.com/gb/p/convector-heaters/extralink-smart-glass-panel-heater-white-2000w-wifi-lpl-23a>

Price: **329.00 zł** gross / 267.48 zł net

Manufacturer: EXTRALINK



Referention number: DNXGKJOLLRMMOP

Information:

Extralink Smart Glass Panel Heater LPL-23A is a smart glass panel heater with a power output of 2000W, ideal for quickly heating a living room, bedroom, office, bathroom or other rooms. It offers 3 power levels: 800W, 1200W and 2000W, and its elegant white, flat housing suits modern interiors well. The device can be mounted on the wall or placed on its feet. WiFi control via the Extralink Smart Life / Tuya Smart app, LED panel and remote control ensure convenient operation, while the thermostat and weekly timer help save energy. Additional features such as ECO mode, frost protection, open window detection, and overheat and tip-over protection increase comfort and safety of use.

Full product description

Heat under control

Extralink Smart Glass Panel Heater LPL-23A is a **smart glass panel heater** that helps conveniently warm up a living room, bedroom, office, bathroom or other utility room. The **2000W** output allows you to quickly raise the temperature where standard heating is insufficient or an additional source of heat is needed on colder days. The unit offers 3 power levels: **800W, 1200W and 2000W**, making it easy to adjust the heating intensity to the conditions in the room and your own preferences.


The white glass housing gives the heater an elegant look and makes it fit well in bright, minimalist and classic interiors. The flat design does not take up much space, and the option to mount it on the wall or place it on the included feet makes it easy to adapt the unit to a specific room. It is a practical choice for a flat, house, office, holiday cottage or rooms that require occasional supplementary heating.



WiFi control

The **WiFi heater** allows convenient operation via the **Extralink Smart Life / Tuya Smart** app, so settings can be changed without going up to the unit. The app lets you switch the heater on and off, adjust the temperature, choose the power level and use operating schedules. This is especially convenient when you want to prepare a warmer room before returning home or reduce the unit's operation during hours when it is not needed.

In addition to app control, there is also a clear **LED panel** and a **remote control**. This means every user can choose the most convenient way to operate it — from a phone, directly on the unit or from the sofa. The built-in **thermostat** helps maintain the set temperature, and the **weekly timer** makes it easy to plan the heater's operation according to your daily routine, e.g. in the morning, in the evening or only on selected days of the week.



Everyday functions

The LPL-23A model offers functions that help you use heating comfortably every day. The **ECO mode** maintains the temperature at 16°C, which is useful when you want to limit the unit's operation while maintaining basic thermal comfort. The **frost protection** function keeps the temperature within 5–8°C, so it can be useful in rooms used seasonally, for utility purposes or heated less often.

A practical feature is also **open window detection**. If the room temperature drops by 5°C or more within 15 minutes, the heater switches off automatically. This helps reduce unnecessary operation during intensive airing. The **IP24** protection rating ensures resistance to splashes while maintaining safe installation principles, and the anti-tip and overheat protection support safe use at home, in the office or in a utility room.



Specification

Parameter	Details
Model	Extralink Smart Glass Panel Heater LPL-23A
Colour	White
Maximum power	2000W
Power levels	800W / 1200W / 2000W
Connectivity	WiFi
Control	Extralink Smart Life / Tuya Smart app, LED panel, remote control
Thermostat	Yes
Weekly timer	Yes
ECO mode	Yes, maintaining 16°C
Frost protection	Yes, range 5–8°C
Open window detection	Yes, switches off when the temperature drops by 5°C or more within 15 minutes
Protection rating	IP24
Installation	Wall-mounted or freestanding on feet
Protections	Against overheating and tipping over
Heating element	Aluminium