



MikroTik CRS326-24S+2Q+RM | Switch | 24x SFP+, 2x QSFP, 1x RJ45 100Mb/s



link to the product:

<https://www.batna24.com/gb/p/switches/mikrotik-crs326-24s2qrm-switch-24x-sfp-2x-q-sfp-1x-rj45-100mb-s>

Price: **2,046.51 zł** gross / 1,663.83 zł net



Manufacturer: MIKROTIK

Referention number: DNXGFOOPKRMNHN

Product features

Height	44 mm
LED indicators	Yes
Width	443 mm
Depth	183 mm
Cables included	AC
Rack mounting	Yes
Power consumption (max)	69 W
Console port	RJ-45
USB 2.0 ports quantity	1
Memory type	RAM
Harmonized System (HS) code	85176990
Switching capacity	640 Gb/s
Switch type	Managed
10G support	Yes
Flash memory	16 MB
Operating temperature (T-T)	-20 to 60 °C
Rack mount kit	Yes
Reset button	Yes
SFP+ module slots quantity	24
Processor frequency	650 MHz
Power over Ethernet (PoE)	No
Internal memory	64 MB

AC input voltage	100 V
QSFP+ module slots quantity	2
Built-in processor	Yes
Product colour	White
Power connector	AC-in jack
Switch layer	L3+
Redundant power supply (RPS) support	Yes

Full product description

MicroTik CRS326-24S+2Q+RM

MikroTik Cloud Router Switch CRS326-24S+2Q+RM is the first MikroTik device with **QSFP+ 40 Gb/s** slots for extremely fast and stable fiber optic connection. Providing Internet access or maintaining a huge data center - this is the perfect upgrade for your configuration.



Adapted to the best ports

The CRS326-24S+2Q+RM has two **40 Gbps QSFP+** and twenty-four **10 Gbps SFP+** ports that provide total unblocked throughput **320 Gb>** and switching capacity **640 Gbps at 252 Mp/s with the most popular packets.**



Easy and quick to manage

The device is easy to manage - it has a full-size **USB** port for configuration and a dual power supply for redundancy - without unexpected downtime, your customers and colleagues will be satisfied



Two systems to choose from

You can choose between our legendary **Router** to boot or the simpler but still powerful **SwitchOS (Layer2)** system. If you want to be able to use routing and other layer functions in your CRS system, use **RouterOS**.



The most important features:

- 2x QSFP+ 40 Gb/s slots
- 24 SFP+ 10 Gb/s slots
- 2x built-in redundant power supplies
- Managing Layer3 and Layer2
- Dual boot - RouterOS or SwitchOS system
- 1x RJ45 console port, 1x USB port