




MikroTik Flex-guide | RF Pigtail | ACRPSMA



link to the product:

<https://www.batna24.com/gb/p/cables-and-patch-cords/mikrotik-flex-guide-rf-pigtail-acrpsma>

Price: **29.27 zł** gross / 23.80 zł net



Manufacturer: MIKROTIK

Referention number: DNXMHOKROHTNJ

Product features

Height	4.2 mm
Width	4.2 mm
Harmonized System (HS) code	85442000
Cable length	0.5 m
Connector contacts plating	Silver
Operating temperature (T-T)	-55 - 125 °C
Product colour	Blue

Full product description

MicroTik Flex-guide Pigtail RF ACRPSMA

The super low-loss microtik acrpsma flexguide RPSMA cable (rpsma to rpsma cable) with a length of 50 cm and excellent quality connections, designed for indoor and outdoor use, provides a perfect fit and low loss values.



This cable has the best features

The name of this cable is derived from the words 'flexible' which describes this product well. The offered model can be used in temperatures from -55°C to 125°C. The signal loss is below 0.65dB



High quality workmanship

The inner conductor is made of silver plated copper and both plugs are soldered rather than just clamped, ensuring the best possible signal quality. It is ideal for our BaseBox and other products with RPSMA connectors and works with most antennas. It complements the high quality accessories of MikroTik.



The most important features:

- Internal silver copper conductor
- RP-SMA connectors soldered on both ends
- It complements the high quality MikroTik accessories
- Operating temperature
- Intended for indoor and outdoor use