



MikroTik hAP ac2 tower | WiFi Router | RBD52G-5HacD2HnD-TC, Dual Band, 5x RJ45 1000Mb/s, 1x USB



link to the product:

<https://www.batna24.com/gb/p/routers/mikrotik-hap-ac2-tower-wifi-router-rbd52g-5hac2hnd-tc-dual-band-5x-rj45-1000mb-s-1x-usb>

Price: **268.71 zł** gross / 218.46 zł net



Manufacturer: MIKROTIK

Referention number: DNxGFMKRIRMMNL

Information:

MikroTik hAP ac² is a dual-band router and Wi-Fi access point operating in the 2.4 GHz and 5 GHz bands, providing stable coverage and fast wireless connections. It is equipped with 5 Gigabit Ethernet ports for connecting wired devices, a USB port for storage or a 4G/LTE modem, as well as a 716 MHz quad-core processor and 128 MB RAM. The new Tower casing allows vertical or horizontal placement, and the included bracket enables wall mounting. The device runs on MikroTik RouterOS level 4, is preconfigured, and is ready to use once power and Internet are connected.

Product features

Height	98 mm
Receiver sensitivity	-100, -96, -94, -80, -78, -75 -73, -70
Width	34 mm
Depth	119 mm
USB connector type	USB Type-A
Security algorithms	IPSEC
Maximum data transfer rate	1167 Mb/s
Power consumption (max)	15 W
Humidity measurement range	-40 - 50%
USB 2.0 ports quantity	1
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	5
Antenna gain level (max)	2.5 gain
Flash memory	16 MB
DC-in jack	Yes

Frequency band	2412 GHz
Operating system installed	RouterOS
Power over Ethernet (PoE)	Yes
Internal memory	128 MB
Placement	Table
AC input voltage	12 V
Built-in processor	Yes
Product colour	Black
Maximum data transfer rate (5 GHz)	867 Mb/s
Maximum data transfer rate (2.4 GHz)	300
Internal	No
5 GHz	Yes
2.4 GHz	Yes

Full product description

Mikrotik Routerboard RBD52G 5HacD2HnD TC HAP ac²

Routerboard RBD52G 5HacD2HnD TC HAP ac² is a **wireless access point ac** and **wireless access point ac** router that provides Wi-Fi coverage for frequencies in two ranges: 2.4 GHz and 5 GHz. Five 10/100/1000 Mbps Ethernet ports provide Gigabit connections for wired devices and USB can be used to store files or a 4G/ LTE modem.



New housing

The new, universal Tower type housing allows you to set the device in a horizontal or vertical position. A wall mount kit is also included. The device operates on Mikrotik RouterOS system with a level 4 license.



Connect to the MikroTik network

The HAP ac2 dual-band wireless router can be powered from a power outlet or via passive PoE. The power supply is included with the device. HAP ac2 is preconfigured, so just connect the power and cable to the Internet and you're done.



Main features:

- Dual 2.4 GHz wireless chain
- Dual 5 GHz wireless chain
- 4-core 716 MHz processor
- 128 MB RAM
- Five 10/100/1000 Mbps Ethernet ports
- USB port for 3G/4G modem

