



MikroTik hAP lite tower | WiFi Router | RB941-2nD-TC, 2,4GHz, 4x RJ45 100Mb/s



link to the product:

<https://www.batna24.com/gb/p/routers/mikrotik-hap-lite-tower-wifi-router-rb941-2nd-tc-24ghz-4x-rj45-100mb-s>

Price: **84.40 zł** gross / 68.62 zł net



Manufacturer: MIKROTIK

Referention number: DNXXGIOMIRMMJM

Information:

MikroTik RB941 2nD TC hAP lite is a compact home or office access point/router in a Tower-type enclosure. It is equipped with a WPS button, which makes it easy to connect quickly to a wireless network without entering a password. The device runs on MikroTik RouterOS, offering, among other things, bandwidth shaping, a firewall and user access control. Thanks to the 650 MHz processor, 32 MB RAM, support for 2.4 GHz Wi-Fi, four Fast Ethernet ports and the RouterOS L4 licence, it provides stable and functional operation in everyday use.

Product features

Modulation	DSSS
Spread spectrum method	DSSS
USB connector type	Micro-USB
Maximum data transfer rate	300 Mb/s
USB 2.0 ports quantity	1
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.11b
Ethernet LAN (RJ-45) ports	4
Antenna gain level (max)	1.5 gain
DC-in jack	No
Operating temperature (T-T)	-20 - 70 °C
Minimum system requirements	32 MB RAM
WPS push button	Yes
Power over Ethernet (PoE)	No
Built-in processor	Yes
Antennas quantity	2

Product colour	Blue
Internal	No
2.4 GHz	Yes
Product weight	162 g

Full product description

Home access point - MikroTik RB941 Routerboard

Home access point **RB941 2nD TC hAP lite Routerboard** from MikroTik is an ideal, compact access point/router for home or office. The routerboard is enclosed in a Tower type housing.




WPS button

The device has a WPS button to conveniently connect to an existing wireless network, without the need to enter a password when you want to access the Internet.




Mikrotik RouterOS software

The access point is based on Mikrotik RouterOS software, which includes bandwidth shaping, firewall, user access control and many others.



Efficient processor

hAP lite features a powerful 650 MHz CPU, 32 MB RAM, 2.4 GHz wireless network, four Fast Ethernet ports and RouterOS L4 license.



Ethernet test results

RB941-2nD-TC		QCA953x 100M four port test					
Mode	Configuration	1518 byte		512 byte		64 byte	
		kpps	Mbps	kpps	Mbps	kpps	Mbps
Bridging	none (fast path)	32.5	394.7	93.9	384.6	430.2	220.3
Bridging	25 bridge filter rules	32.5	394.7	83.4	341.6	82.2	42.1
Routing	none (fast path)	32.5	394.7	93.9	384.6	221.1	113.2
Routing	25 simple queues	32.5	394.7	93.9	384.6	118.7	60.8
Routing	25 ip filter rules	32.5	394.7	53.9	220.8	53.9	27.6