



MikroTik hEX S | Router | RB760iGS, 5x RJ45 1000Mb/s, 1x SFP, 1x USB



link to the product:

<https://www.batna24.com/gb/p/routers/mikrotik-hex-s-router-rb760igs-5x-rj45-1000mb-s-1x-sfp-1x-usb>

Price: **268.62 zł** gross / 218.39 zł net



Manufacturer: MIKROTIK

Referention number: DNXGFMORERMMMN

Information:

MikroTik hEX S RB760iGS is a compact, five-port Gigabit Ethernet router for networks without Wi-Fi, ideal for wired applications. It additionally offers a 1.25 Gb/s SFP port, PoE output on the last port, USB 2.0 and a micro-SD slot. Equipped with a dual-core 880 MHz processor and 256 MB RAM, it delivers high performance and support for advanced RouterOS configurations. Hardware IPsec encryption of up to approx. 470 Mb/s increases security and reduces the load on the device, while the RouterOS Level 4 licence, support for the Dude package and power supply via the included adapter or 802.3af/at PoE make it versatile and easy to use.

Product features


Height	28 mm
Antenna type	Not supported
Width	113 mm
Depth	89 mm
USB ports quantity	1
Power consumption (typical)	11 W
Harmonized System (HS) code	85176990
Ethernet LAN (RJ-45) ports	5
DC-in jack	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Gigabit Ethernet
Power over Ethernet (PoE) ports quantity	1
Internal memory	256 MB
Ethernet LAN	Yes
Installed SFP modules quantity	1

Power source type	DC
Product colour	Black
Ethernet WAN	Yes

Full product description

Microtik hEX S RB760iGS - Five-port Gigabit Ethernet router

hEX S is a five-port **Gigabit Ethernet** router for locations where wireless connectivity is not required. Compared to hEX, hEX S also has **port SFP** and **PoE** output on the last port.



Mikrotik Routerboard RB760iGS hEX s - Efficient and easy to use

Mikrotik RB760iGS is inexpensive, small and easy to use, but at the same time equipped with a very powerful **880 MHz durbine-conductor** and **256 MB RAM**, capable of all advanced configurations supported by RouterOS. The device has a USB 2.0 port, PoE output for Ethernet port and 1.25Gbit/s SFP frame.




hEX S - Hardware encryption

Hardware encryption **IPsec** (~470 Mbps) and server package **Dude** is supported, the microSD slot on it provides **increased r/w** speed for file storage and Dude.




Block diagram

hEX S (RB760iGS) * with enabled switching



hEX S (RB760iGS) * with disabled switching



Basic features:

- Dude server package
- Integrated microSD card slot
- Support for IPsec hardware encryption (~ 470 Mbps)
- Includes 24V 1.2A power supply (can also be supplied via PoE according to 802.3af/at standard)
- High performance dual core processor MT7621A (880 MHz)
- 265 MB RAM
- USB 2.0 port
- Hardware support for IPsec encryption
- RouterOS system with Level 4 license