



MikroTik OmniTIK 5 PoE ac | CPE | RBomniTikPG-5HacD, 5GHz, 5x RJ45 1000Mb/s



link to the product:

<https://www.batna24.com/gb/p/radio-lines/mikrotik-omnitik-5-poe-ac-cpe-rbomnitikpg-5hacd-5ghz-5x-rj45-1000mb-s>

Price: **487.28 zł** gross / 396.16 zł net



Manufacturer: MIKROTIK

Referention number: DNFXFMHMPKRMMPi



Product features

Height	416 mm
Width	129 mm
Depth	58 mm
USB connector type	USB Type-A
Mounting kit	Yes
Cables included	AC
Maximum data transfer rate	54 Mb/s
Power consumption (max)	18 W
USB 2.0 ports quantity	1
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.11ac
Ethernet LAN (RJ-45) ports	5
Antenna gain level (max)	7.5 gain
Flash memory	16 MB
DC-in jack	Yes
AC adapter included	Yes
Power over Ethernet (PoE)	Yes
Internal memory	128 MB
PoE adapter included	Yes
Placement	Pole
AC input voltage	12 V
Built-in processor	Yes

Internal	No
5 GHz	Yes

Full product description


OmniTIK 5 PoE ac

OmniTIK 5 PoE ac has five Gigabit Ethernet ports and 802.11ac support. It has a more powerful 720 MHz processor (QCA9557), more RAM (128 MB), dual high power 802.11a/n/ac wireless chain (AC and 802.11a/n CPE backwards compatible), and a new weatherproof outer casing that protects the device from the elements.



Support for passive and standard PoE ports

OmniTIK 5 PoE ac version also supports passive or standard PoE 802.3at/af input/output. The Ethernet 2-5 ports can power other PoE-capable devices with the same voltage as the device. It can power devices operating in B-mode (4.5+)(7.8-) if the 48-57 input voltage is used. In addition, it has a high power radio - up to 31 dBm (1300 mW) and two built-in omnidirectional antennas with 7.5 dBi gain. The model has 5 Gigabit Ethernet ports and an additional USB port. It works only in 5 GHz band, it is not a dual band access point.



The most important features:

- Two built-in omnidirectional antennas with 7.5 dBi gain
- Operation in the 5 GHz band
- RouterOS with Level 4 license
- Possibility to power other devices via PoE
- Power supply via passive PoE 12 - 57 V
- USB port
- 5 Gigabit Ethernet ports
- Transmission power up to 31 dBm (1300 mW)
- Wide operating temperature range



Package contents

- Power supply 28V, 2.57A
- Power Cable
- Gigabit PoE injector
- Mounting bracket
- Metal clamp