



MikroTik RB1100AHx4 | Router | 13x RJ45 1000Mb/s, 1x microSD, 2x SATA 3, 2x M.2



link to the product:

<https://www.batna24.com/gb/p/routers/mikrotik-rb1100ahx4-router-13x-rj45-1000mb-s-1x-microsd-2x-sata-3-2x-m2>

Price: **1,051.67 zł** gross / 855.02 zł net



Manufacturer: MIKROTIK

Referention number: DNFXFMNMKMRMNGM

Product features

Height	47 mm
Antenna type	Not supported
LED indicators	Activity
Width	444 mm
Depth	148 mm
Cables included	AC
Rack mounting	Yes
Power consumption (typical)	20 W
Harmonized System (HS) code	85176990
Ethernet LAN (RJ-45) ports	13
Flash memory	128 MB
DC-in jack	Yes
Performance	7.5 Gb/s
Operating temperature (T-T)	-40 to 70 °C
Cabling technology	10/100/1000Base-T(X)
Rack capacity	1U
RS-232 ports	1
Ethernet interface type	Gigabit Ethernet
Firmware upgradeable	Yes
Processor frequency	1400 MHz
Web-based management	Yes
Compatible memory cards	MicroSD (TransFlash)

Operating system installed	RouterOS
Power over Ethernet (PoE)	Yes
Internal memory	1000 MB
Temperature monitoring	Yes
Voltage monitoring	Yes
Ethernet LAN	Yes
AC input voltage	100 V
SIM card slot	No
Processor cores	4
Processor model	Annapurna Labs Alpine AL21400
Power source type	AC
Built-in processor	Yes
Storage media	Flash
Product colour	Stainless steel
IP address filtering	Yes
Ethernet WAN	Yes
3G/4G USB modem compatibility	No
DSL WAN	No

Full product description

Powerful network management device

RB1100AHx4 router has **13x Gigabit Ethernet** ports. The router is powered by the **Annapurna Alpine AL21400 processor with four cores** Cortex A15, clocked at **1.4 GHz** each, for maximum throughput up to **7.5 Gbit**. The device supports hardware **IPsec** acceleration (up to 2.2Gbps with AES128).



Universal design

The device is supplied with a **rack 1U** enclosure, a serial **RS232** port and dual redundant power supplies (with -48v DC power supply and 802.3at/af support).

