



MikroTik SXTsq Lite5 | CPE | RBSXTsq5nD, 5GHz, 1x RJ45 100Mb/s



link to the product:

<https://www.batna24.com/gb/p/radio-lines/mikrotik-sxtsq-lite5-cpe-rbsxtsq5nd-5ghz-1x-rj45-100mb-s>

Price: **157.24 zł** gross / 127.84 zł net



Manufacturer: MIKROTIK

Referention number: DNXFMKIKMRMLQ

Product features

Height	34 mm
Receiver sensitivity	6MBit/s 25 dBm -96 54MBit/s 20 -80 MCS0 25 -96 MCS7 19 -75
Width	129 mm
Depth	129 mm
Security algorithms	Not supported
Power consumption (max)	6 W
Humidity measurement range	-40 - 70%
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	1
Antenna gain level (max)	16 gain
Flash memory	16 MB
Operating system installed	RouterOS
Power over Ethernet (PoE)	Yes
Internal memory	64 MB
AC input voltage	10 V
Built-in processor	Yes
Product colour	White
Internal	No
5 GHz	Yes
2.4 GHz	No

Full product description

Microtik SXTSQ LITE 5 - Client device

SXTsq Lite5 is a compact and lightweight outdoor wireless device **with a built-in antenna**. It is perfect for point-to-point connections of up to 12 kilometers or as a **CPE** device.



Weather resistant and easy to install - Mikrotik SXTsq ac

It is compact, weatherproof and easy to install. **SXTsq Lite5** retains the **16dBi** antenna like the SXT Lite5, but the design of the antenna has been improved and its physical size has been drastically reduced - **SXTsq is twice as thin**.



Mounting method SXTsq Lite5 Routerboard

The unit can be mounted on horizontal and vertical poles and masts, but for accurate alignment, a **QuickMount Pro** is available separately, which **allows adjustment in any angle**.



Block diagram

SXTsq Lite5 (RBSXTsq5nD)

