



MikroTik wAP 60G AP | CPE | RBwAPG-60ad-A, 60GHz, 1x RJ45 1000Mb/s



link to the product:

<https://www.batna24.com/gb/p/radio-lines/mikrotik-wap-60g-ap-cpe-rbwapg-60ad-a-60ghz-1x-rj45-1000mb-s>

Price: **234.98 zł** gross / 191.04 zł net



Manufacturer: MIKROTIK

Referention number: DNXGFMKRRMNHH

Product features

Height	30 mm
Bandwidth	60 GHz
Width	185 mm
Depth	85 mm
Mounting kit	Yes
Maximum data transfer rate	1000 Mb/s
Power consumption (max)	5 W
Networking standards	IEEE 802.11ad
Ethernet LAN (RJ-45) ports	1
Flash memory	16 MB
DC-in jack	Yes
Operating temperature (T-T)	-40 - 70 °C
AC adapter included	Yes
Maximum outdoor range	200 m
Operating system installed	RouterOS
Power over Ethernet (PoE)	Yes
Internal memory	256 MB
Placement	Table
AC input voltage	11 V
Built-in processor	Yes
Antenna features	Integrated antenna
Product colour	White

Internal	No
5 GHz	No
2.4 GHz	No

Full product description


MicroTik wAP 60G AP

is an access point designed to operate in the **60 GHz** band. It has been equipped with a powerful 4-core IPQ-4019 processor with **716 MHz** and **256 MB** RAM. It has a gigabit Ethernet port and offers maximum wireless throughput of **1 Gb/s**. The device has an integrated antenna, the width of the main beam is about 60°. The housing has been adapted for outdoor use. Power can be supplied via a **DC or PoE** plug.



It has all the necessary things for assembly

The unit includes a wall mount kit, pole mounting straps, power supply, PoE injector, and a table stand for indoor use. Penetrates some windows depending on the material. WAP 60G AP supports up to eight customers at a time over distances of up to 200m.



The most important features:

- Throughput up to 1 Gb/s
- Maximum range approx. 200 metres
- Housing suitable for outdoor installation
- Antenna with a beam of about 60°
- RouterOS Level4, can work as an AP
- Operation in the 60 GHz band (802.11ad standard)