



Orvaldi LT-3000 Sinus Tower | UPS | 3000VA/2100W, 4x 9Ah



link to the product:

<https://www.batna24.com/gb/p/ups/orvaldi-lt-3000-sinus-tower-ups-3000va-2100w-4x-9ah>

Price: **2,341.92 zł** gross / 1,904.00 zł net



Manufacturer: ORVALDI

Referention number: DNXGGJHPLRMMLI

Product features

Height	220 mm
USB charging port	Yes
Serial interface	Yes
Width	145 mm
Depth	455 mm
Audible alarm(s)	Yes
UPS topology	Line-Interactive
Emergency Power Off (EPO)	Yes
Output power capacity	3 kVA
Surge protection voltage	Yes
Battery capacity	9 Ah
Battery voltage	48 V
Input frequency	50 Hz
Auto-restart	Yes
Noise level	45 decibel
Audible alarm modes	Alarm when on battery
Serial interface type	RS-232
Number of batteries supported	4
Output power	2100 W
AC outlet types	IEC 320
Product colour	Black
Input operation voltage (max)	290 V

Input operation voltage (min)	162 V
Waveform	Pure sine
Product weight	19.6 g

Full product description

ORVALDI LT-3000 SINUS TOWER

The **ORVALDI LT** sinusUPS provides stable operation of sensitive server-class equipment and full protection against power failures, spikes and voltage instability. This unit is dedicated to networking, telecommunications, server equipment and critical computer stations.





What are the characteristics of the ORVALDI LT-3000 SINUS TOWER?

- **Pure sine wave** with battery operation
 - Output **power factor of 0.7**
 - Programmable power management slots (**one section**)
 - ECO mode operation (**performance correcting optimizer**) to save energy
 - Connection to **EPO** emergency stop
 - Very high efficiency **in battery mode**
 - **Boost and buck AVR** for voltage stabilization
 - 3-stage intelligent **battery charge control**
 - Multiple communication options available: **RS232 and USB as standard**
 - Equipped with additional port for **optional SNMP network card**
 - **8 IEC320 C13 (computer)** output sockets
-


