



Extralink SFP 1.25G | SFP WDM Module | 1,25Gbps, 1310/1550nm, single mode, 3km, LC, DOM, pair



link to the product:

<https://www.batna24.com/gb/p/sfp-modules/extralink-sfp-125g-sfp-wdm-module-125gbps-1310-1550nm-single-mode-3km-lc-dom-pair>

Price: **82.02 zł** gross / 66.68 zł net

Manufacturer: EXTRALINK



Referention number: DNXFFHPSDRMMJP



Product features

SFP transceiver type	Fiber optic
CD-ROM interface type	SFP
Maximum data transfer rate	1.25 Gb/s
Brand compatibility	Cisco
Wavelength	1550 nm
Maximum transfer distance	3 km
Rodzaj złącza światłowodowego	LC

Full product description

A pair of high-speed 1.25G WDM 1310/1550NM SM 3KM LC SFP modules.

The Extralink SFP 1.25G WDM is a high-performance, cost-effective, **single-mode SFP module** supporting a data rate of **1.25 Gbps/1.0625 Gbps** and a transmission range of **20 km** with SMF. The SFP fiber-optic insert consists of three sections, i.e., a FP laser transmitter, a PIN photodiode integrated with a transimpedance preamplifier (TIA) and an MCU control unit. All modules meet Class I laser safety requirements. The fiber SFP modules are compatible with **SFP Multi-Source Agreement (MSA)** and **SFF-8472**.





Port speed:
1.25G/s



**Transmission
distance:**
3km

Wavelength:
1310nm/1550nm



Fiber type:
SINGLE-MODE



Extralink SFP 1.25G WDM with wide-ranging applications


SFP fiber optic inserts are used in Gigabit Ethernet, fiber channels, switch to switch interfaces, switched backplane applications, router/server interfaces and other optical transmission systems.

Wide compatibility

MSA compliant, suitable for switches, routers, and fiber optic infrastructure without drivers



Special features



Brand: **Extralink**

Port speed: **1.25G/s**

Transmission distance: **3 KM**

Wavelength: **1310nm/1550nm**


Fiber type: **SINGLE-MODE**


Interface type: **SFP**

Plug and Play support: **YES**

Fiber optic connector: **LC**

Temperature: **0-70 °C**







Easy installation

Plug & Play and Hot-Pluggable, no restart or drivers required, which shortens network maintenance and expansion time.

Wide compatibility

Each SFP module is individually tested to ensure reliable operation with leading brands of network equipment.