



Extralink SFP28 25G 2-Pack | SFP28 Module | 25Gbps, LC/UPC Duplex, 850nm, 100m, multi mode, DOM



link to the product:

<https://www.batna24.com/gb/p/sfp-modules/extralink-sfp28-25g-2-pack-sfp28-module-25gbps-lc-upc-duplex-850nm-100m-multi-mode-dom>

Price: **206.49 zł** gross / 167.88 zł net

Manufacturer: EXTRALINK



Referention number: DNXXGLQMHRMMMN

Product features

Maximum data transfer rate	25 Gb/s
Brand compatibility	Cisco
Maximum transfer distance	100 m

Full product description

Extralink SFP28 25G 2-Pack is an excellent choice for professionals looking for reliable data transmission solutions.

This SFP28 module provides exceptional performance and versatility, meeting the needs of even the most demanding users. With its help, you can enjoy fast and stable data transfer, making it an ideal product for advanced computer networking applications.





Port speed:
25GB




Transmission
distance:
100m

Wavelength:
850NM




Fiber type:
MULTI-MODE



Speed and efficiency

The Extralink SFP28 offers 25Gbps port speeds for **lightning-fast data transfer**. This makes it ideal for bandwidth-intensive applications such as data centers and corporate networks. Regardless of the load, this SFP28 module guarantees an uninterrupted and stable connection.



Versatility and reach

This product supports multi mode, which means **it is compatible with different types of fiber optics**. The maximum transfer distance is 100m, which makes it perfect for various network environments. With a wavelength of 850nm, it provides high signal quality and minimal loss.


Wide compatibility

MSA compliant, suitable for switches, routers and fiber optic infrastructure without drivers



Reliability and compliance

Extralink's SFP28 25G 2-Pack module meets stringent CE, RoHS and FCC standards, ensuring its **safety and regulatory compliance**. With support for Digital Optical Monitoring (DOM), users can monitor key performance parameters in real time. This is a reliable solution for anyone who needs robust and durable equipment.




EX-31306
SFP28 25G 860nm 100m DOM
S/N: A861240110006
EX-31306
SFP28 25G 860nm 100m DOM
S/N: A861240110006

EXTRALINK
21CFR(J)CLASS1
RoHS COMPLIANT
CE FC

EXTRALINK
21CFR(J)CLASS1
RoHS COMPLIANT
CE FC

Brand:	Extralink
Port speed:	25GB
Transmission distance:	100M
Wavelength:	850NM
Fiber type:	MULTI-MODE
Interface type:	SFP
Plug and Play support:	YES
Fiber connector:	LC/UPC
Temperature:	0-70 °C





Easy installation

Plug & Play and
Hot-Pluggable, no restart
or drivers required,
which shortens network
maintenance
and expansion time.

Wide compatibility

Each SFP module is individually tested to ensure reliable operation with
leading brands of network equipment.