



Teltonika OTD140 | 4G Router | LTE Cat 4, 2x 100 Mb/s, PoE in, PoE out, 2x SIM, IP55



link to the product:

<https://www.batna24.com/gb/p/lte-5g/teltonika-otd140-4g-router-lte-cat-4-2x-100-mb-s-poe-in-poe-out-2x-sim-ip55>

Price: **558.72 zł** gross / 454.24 zł net



Manufacturer: TELTONIKA

Referention number: DNXXGMPNFRMMLM

Information:

Teltonika OTD140 is a durable outdoor LTE Cat 4 router designed for reliable operation in harsh conditions. The plastic housing with IP55 ingress protection shields the device from the weather, while the integrated mounting bracket makes quick installation easy. Two SIM slots ensure uninterrupted connectivity thanks to easy switching between operators, and two Fast Ethernet 10/100 Mb/s ports allow additional devices to be connected conveniently. The router is equipped with LED indicators showing signal strength, two internal antennas, and an efficient Mediatek 580 MHz processor and 128 MB RAM, which guarantee stable and smooth operation.

Product features

Regulatory Approvals	CE, UKCA, EAC, UCRF, RCM
Height	49.3 mm
Antenna type	Internal
LED indicators	Status
Firewall	Yes
Universal Plug and Play (UPnP)	Yes
Width	100 mm
Depth	235 mm
4G standard	LTE
Security algorithms	HTTPS
Rack mounting	Yes
Power consumption (max)	6 W
Wake-on-LAN ready	Yes
Power consumption (typical)	2.5 W
Humidity measurement range	10 - 90%

Networking standards	IEEE 802.3
Ethernet LAN (RJ-45) ports	2
IFU / User manual	Yes
Auto MDI/MDI-X	Yes
Flash memory	16 MB
Operating temperature (T-T)	-40 to 75 °C
Cabling technology	10/100Base-T(X)
Quality of Service (QoS) support	Yes
Supported network protocols	TCP, UDP, IPv4, IPv6, ICMP, NTP, DNS, HTTP, HTTPS, SFTP, FTP, SMTP, SSL/TLS, ARP, VRRP, PPP, PPPoE, UPNP, SSH, DHCP, Telnet, SMPP, SNMP, MQTT, Wake On Lan (WOL)
Ethernet interface type	Gigabit Ethernet
VLAN support	Yes
Reset button	Yes
Management protocols	FOTA, SSH, SMS, Call, TR-069, MQTT, SNMP, JSON-RPC, RMS
Firmware upgradeable	Yes
Processor frequency	580 MHz
Web-based management	Yes
WPS push button	No
VoIP protocols	H.323 and SIP-alg protocol NAT helpers, allowing proper routing of VoIP packets
Operating system installed	RutOS
Power over Ethernet (PoE) ports quantity	2
Power over Ethernet (PoE)	Yes
Internal memory	128 MB
Fast Ethernet (copper) ports quantity	2
Mobile network generation	4G
SIM card slot	Yes
Power source type	DC
Built-in processor	Yes
Antennas quantity	2
Product colour	White
Access Control List (ACL)	Yes
ARP attack prevention	Yes
ICMP attack prevention	Yes
DoS attack prevention	Yes
DMZ support	Yes
Short Message Service (SMS)	Yes
Ethernet WAN	Yes
Policy-based routing	Yes
Port forwarding	Yes
Traffic control	Yes
Static route	Yes
DHCP client	Yes
SFP WAN	No
DHCP server	Yes
3G/4G USB modem compatibility	No
DSL WAN	No

Watch case material	Plastic
Product weight	855 g

Full product description

Teltonika OTD140 - Reliable Outdoor Router

Teltonika's OTD140 outdoor router is the ideal solution for those who need a reliable and rugged device for outdoor applications. With a dedicated **IP55-rated** plastic housing, **the OTD140** is weatherproof, ensuring long-lasting and stable operation in the harshest environments. An integrated mounting bracket makes installation of the router quick and hassle-free.



Advanced LTE Cat 4 Connectivity

The Teltonika OTD140 router provides high communication performance thanks to **LTE Cat 4** technology, which guarantees fast and stable Internet access. The device is also equipped with **two 10/100 Mbps Fast Ethernet ports** for convenient connection of other network devices. **Two SIM card slots** allow seamless switching between mobile network operators, ensuring continuous connectivity.

Simple Management and High Performance

The **Teltonika OTD140** features signal strength status **LEDs** that make it easy to monitor call quality. Two internal antennas ensure stable and powerful connectivity. With a **580 MHz** Mediatek processor and **128 MB of RAM**, the router offers efficient and smooth operation even under heavy load.