



Teltonika RUT241 eSIM | Industrial 4G LTE router | Cat 4, 2x RJ45 100Mb/s, eSIM



link to the product:

<https://www.batna24.com/gb/p/lte-5g/teltonika-rut241-esim-industrial-4g-lte-router-cat-4-2x-rj45-100mb-s-esim>

Price: **702.71 zł** gross / 571.31 zł net



Manufacturer: TELTONIKA

Referention number: DNXXGGOOQJRMNIH



Product features

Height	74 mm
Input voltage	9 V
Antenna type	External
LED indicators	Data
USB charging port	No
Firewall	Yes
Width	25 mm
Depth	83 mm
4G standard	LTE
Security algorithms	AES-CCMP
Device type	Cellular network router
Storage temperature (T-T)	-40 - 75 °C
Cables included	LAN (RJ-45)
Power consumption (typical)	6.5 W
Humidity measurement range	10 - 90%
Ethernet LAN interface type	Fast Ethernet
Networking standards	IEEE 802.11b
Ethernet LAN (RJ-45) ports	1
Operating temperature (T-T)	-40 - 75 °C
Mounting	Wall/Pole/DIN-rail mounting
Reset button	Yes
IP routing	Yes

Web-based management	Yes
Wi-Fi standards	802.11b
Wi-Fi	Yes
Ethernet LAN	Yes
Data network	2G
Power source type	DC
Built-in processor	Yes
Antennas quantity	3
Market positioning	Industrial
Product colour	Black
Network address translation (NAT)	Yes
DMZ support	Yes
Short Message Service (SMS)	Yes
Port forwarding	Yes
Antenna connector type	SMA
WLAN data transfer rates supported	300 Mb/s
Built-in display	No
Position location	No
DHCP client	Yes
DHCP server	Yes
Watch case material	Aluminium
Product weight	125 g

Full product description


Teltonika RUT241 eSIM - Reliable Industrial 4G LTE Router

The Teltonika RUT241 eSIM is a versatile industrial 4G LTE router designed to provide reliable connectivity even in harsh environments. With eSIM support, you can enjoy flexible and convenient network access without having to physically swap SIM cards. Teltonika RUT241 is ideal for IoT applications that require stable and fast data transmission.



Teltonika - Flexibility through eSIM

The Teltonika RUT241 eSIM offers eSIM, which means you can manage SIM profiles without physical intervention. **Up to 7 eSIM profiles** can be installed on the device, allowing you to seamlessly change carriers based on network availability and cost. This makes the Teltonika RUT241 the perfect solution for users who frequently need to change ISPs.



Ethernet - Reliable Wired Connectivity

The Teltonika RUT241 router is equipped with 2 Ethernet ports (1 WAN and 1 LAN) compliant with **IEEE 802.3** and **IEEE 802.3u** standards ,

ensuring **fast and stable data transmission**. The WAN port allows access to the Internet, while the LAN port provides seamless wired connectivity for local devices. You can rest assured that the Teltonika RUT241 will guarantee a high-speed connection regardless of conditions.



WiFi - Stable Wireless Connections

The Teltonika RUT241 eSIM supports the **WiFi 4 (802.11b/g/n)** standard , enabling data transfer speeds of up to 150 Mbps. The router supports simultaneous **connection of up to 50 devices**, making it ideal for both small offices and home IoT applications. With built-in features such as WPA2/WPA3 encryption, you can rest assured that your wireless network is secure.



PoE - Power Flexibility

Teltonika RUT241 has **the ability to be powered via PoE**, which means you can power the router via Ethernet cable without worrying about additional power supplies. This solution makes it much easier to install the device in hard-to-reach places and reduces the number of cables. **The RUT241** is a solution that provides maximum convenience of use, especially in industrial and field applications.

