



Teltonika RUT951 | Industrial 4G LTE router | Cat.4, WiFi, Dual Sim, 1x WAN, 3X LAN, RUT951 000000



link to the product:

<https://www.batna24.com/gb/p/lte-5g/teltonika-rut951-industrial-4g-lte-router-cat4-wifi-dual-sim-1x-wan-3x-lan-rut951-000000>

Price: **910.08 zł** gross / 739.90 zł net



Manufacturer: TELTONIKA

Referention number: DNXXGIOQFRMMKP

Product features

Height	50 mm
Antenna type	External
LED indicators	Yes
Firewall	Yes
Width	110 mm
Depth	100 mm
4G standard	LTE
Security algorithms	HTTPS
RAM type	DDR2
Device type	Cellular network router
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Ethernet LAN interface type	Fast Ethernet
RAM capacity	128 GB
Ethernet LAN (RJ-45) ports	3
Auto MDI/MDI-X	Yes
Operating temperature (T-T)	-40 - 75 °C
Supported network protocols	TCP, UDP, IPv4, IPv6, ICMP, NTP, DNS, HTTP, HTTPS, FTP, SMTP, SSL v3, TLS, ARP, VRRP, PPP, PPPoE, UPNP, SSH, DHCP, Telnet, SMPP, SMNP, MQTT, Wake On Lan (WOL)
Mounting	DIN-rail
Reset button	Yes
Processor frequency	0.58 GHz

Web-based management	Yes
Ethernet LAN data rates	100 Mb/s
Wi-Fi standards	802.11b
Wi-Fi	Yes
Ethernet LAN	Yes
Data network	2G
Number of SIM cards	2
Power source type	DC
Antennas quantity	4
Market positioning	Industrial
Product colour	Black
Network address translation (NAT)	Yes
DMZ support	Yes
Short Message Service (SMS)	Yes
Port forwarding	Yes
DHCP client	Yes
DHCP server	Yes
Watch case material	Aluminium
Product weight	287 g

Full product description

Teltonika RUT951 Industrial Router

The Teltonika**RUT951** leverages the best features of one of **Teltonika Networks'**most popular industrial routers , **the RUT950**. The Teltonika**RUT951** is a professional industrial **4G LTE** router with Wi-Fi connectivity for IoT applications. It operates over Wi-Fi in the **2.4 GHz** band and IEEE 802.11b/g/n standard. It has **4 Ethernet ports**. The LTE modem offers up to **100 Mbps** downlink and up to **50 Mbps** uplink throughput. The device is rugged, protected by an aluminum housing. The LTE router features high performance mobile communications over a wide temperature range and harsh operating conditions.



4G LTE wireless network, Wi-Fi and dual SIM

The device is equipped with **dual SIM 4G** cellular connectivity , **Wi-Fi and 4 Ethernet interfaces** to meet the needs of the most diverse IoT solutions.



Multiple automation scenarios and high level of security

The **RUT951** is powered by **RutOS**, which offers customization options for professional applications, automation features and the highest level of security for your solutions. Compatibility with **Teltonika Networks' Remote Management System (RMS)** enables secure remote management, saving time and expense.



Backup connection

Automatic WAN switching to an available backup connection ensures network continuity and eliminates downtime.



The standard set includes

- Router RUT951
- 9 W power supply
- 2 x LTE antennas (SMA male)
- 2 x WiFi antennas (RP-SMA male)
- Ethernet cable (1.5 m)
- SIM adapter
- Quick reference guide
- RMS flyer
- Packaging



ROUTER RUT951



9 W PSU



2 X LTE ANTENNAS (SWIVEL,
SMA MALE)



2 X WIFI ANTENNAS (SWIVEL, RP-SMA
MALE)



SIM ADAPTER KIT



ETHERNET CABLE (1.5 M)