



Teltonika TAP100 Access Point, Wi-Fi 4, 2.4GHz, 1x RJ45 100Mb/s, WPA3



link to the product:

<https://www.batna24.com/gb/p/access-points/teltonika-tap100-access-point-wi-fi-4-24ghz-1x-rj45-100mb-s-wpa3>

Price: **132.48 zł** gross / 107.71 zł net



Manufacturer: TELTONIKA

Referention number: DNXGGLHJJRMLPO



Full product description

Boost Wi-Fi Range with Teltonika TAP100

The **Teltonika TAP100 (TAP100001000)** is Teltonika Networks' first-ever access point, designed specifically for small businesses and commercial spaces.



Easy Installation with PoE-in Technology

The TAP100 access point has one **Fast Ethernet (RJ45)** port with **PoE-in** technology, which allows the device to be powered by active PoE devices. As a result, there is no need for external power adapters, making installation of the device extremely simple and hassle-free. Simply connect the TAP100 to a network device with PoE technology or use a **PoE injector**.

Reliable Connectivity and High Performance

The TAP100 is equipped with two internal **2.4 GHz Wi-Fi** antennas and supports the **802.11 b/g/n Wi-Fi** standard, enabling wireless connectivity to multiple devices at network speeds of up to **100 Mbps**. This makes the TAP100 ideal for places where stable and fast Wi-Fi connectivity is required.

Highest Safety Standard

At a time when network security is a priority, **the TAP100** stands out for its support of the **WPA3** security standard, which provides enhanced data encryption capabilities. With this, you can rest assured that your network is well protected, even in crowded places.



Intuitive Management with RutOS

The TAP100 access point can be managed using the open **WRT-based RutOS** system. This intuitive and user-friendly operating system allows easy network configuration and customization of **Wi-Fi** settings. RutOS is already familiar to Teltonika users, as it powers all of the company's routers and gateways.

Remote Management and Monitoring

The TAP100 is supported by a remote management system (**RMS**), which is extremely important for large fleets of equipment that need to be constantly monitored. In addition, each **TAP100** user is entitled to a free 24-month **RMS** management, which ensures full control of the device.

Durability and Elegance

The TAP100 is designed for a variety of environmental conditions. With the ability to be ceiling-mounted and withstand temperatures **from -40°C to 75°C**, the TAP100 will perform well in sunny areas as well as near cold freezers. The UV-stabilized plastic housing protects the unit from long-term degradation.