



Teltonika TAP200 | Access point | Wi-Fi 5, Dual Band, 1x RJ45 1000Mb/s, WPA3



link to the product:

<https://www.batna24.com/gb/p/access-points/teltonika-tap200-access-point-wi-fi-5-dual-band-1x-rj45-1000mb-s-wpa3>

Price: **293.76 zł** gross / 238.83 zł net



Manufacturer: TELTONIKA

Referention number: DNXXGLHJHRLNQ

Product features

Regulatory Approvals	CE, UKCA, FCC, IC, RCM, CB, EAC, UCRF, WEEE
Height	30 mm
Antenna type	Internal
LED indicators	Power
WAN connection	Ethernet (RJ-45)
Width	158 mm
Depth	158 mm
Security algorithms	AES-CCMP
Mounting kit	Yes
Maximum data transfer rate	867 Mb/s
Humidity measurement range	10 - 90%
Networking standards	IEEE 802.11b
Ethernet LAN (RJ-45) ports	1
DC voltage range	44 V
Flash memory	16 MB
Operating temperature (T-T)	-40 - 75 °C
Cabling technology	10/100/1000Base-T(X)
Supported network protocols	TCP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, SSL v3, TLS, ARP, SSH
VLAN support	Yes
Reset button	Yes
Firmware upgradeable	Yes

Processor frequency	880 MHz
Web-based management	Yes
International Protection (IP) code	IP30
Operating system installed	RutOS
Power over Ethernet (PoE)	Yes
MIMO type	Multi User MIMO
MIMO	Yes
Internal memory	256 MB
Placement	Ceiling
Built-in processor	Yes
Power over Ethernet (PoE) type supported	Active PoE
Antennas quantity	2
Wi-Fi roaming	Yes
Product colour	White
MAC address filtering	Yes
Command-line interface (CLI)	Yes
Maximum data transfer rate (2.4 GHz)	300
Watch case material	Plastic
6 GHz	No
5 GHz	Yes
2.4 GHz	Yes
Product weight	190 g

Full product description

Excellent WiFi connectivity in medium density areas with Teltonika TAP200

Teltonika 's **TAP200** is an innovative access point featuring **dual-band technology and high-speed roaming** to provide users with seamless and efficient Wi-Fi connectivity. It is ideal for medium-density areas where high network performance is required. With **a gigabit RJ45 port**with **PoE-in** function, the TAP200 is not only powerful, but also convenient to install, offering ease of connection to existing network infrastructure.



Excellent performance and coverage

The Teltonika TAP200 **Wi-Fi 5** access point can achieve data rates of **up to 450 Mbps**, making it ideal for transferring large amounts of data in commercial spaces such as offices, stores and cafes. Four internal antennas with up to 5.02 dBi gain provide excellent coverage on both bands, 2.4 GHz and 5 GHz, allowing the Wi-Fi signal to be evenly distributed in all directions.

Security and management

Security is a key aspect of any access point, and the TAP200 does not disappoint in this area with support for the latest **WPA3** standard. This enables much better security, and **RutOS**, based on **OpenWRT**, offers an intuitive and easy-to-use network management environment. In addition, using the RMS remote management system, network administrators can easily monitor and control large fleets of devices, which is invaluable in large enterprises and sprawling installations.

Versatility and elegance

The **Teltonika TAP200** is not only distinguished by its high functionality, but also by its aesthetics that **blend seamlessly into any environment** - from corporate to retail. Its **sleek design and compact size** allow it to be installed discreetly anywhere, and a pre-installed mounting bracket ensures quick and easy installation. Regardless of location, the TAP200 is prepared to operate over a wide temperature range and is **UV-resistant** for long-term reliability and performance.



Access point with high performance and wide range of applications

The **Teltonika TAP200** is an access point designed for superior performance, reliability and security. Its advanced features and sleek design make it ideal for both business and discerning home users looking for **reliable wireless connectivity** in all conditions.