



## Teltonika TSW040 | Switch | 8x RJ45 100Mb/s PoE, 240W, IP30



link to the product:

<https://www.batna24.com/gb/p/switches/teltonika-tsw040-switch-8x-rj45-100mb-s-poe-240w-ip30>

Price: **213.12 zł** gross / 173.27 zł net



Manufacturer: TELTONIKA

Referention number: DNXXGGMQKDRMMIH

### Product features

|                                          |                   |
|------------------------------------------|-------------------|
| Power source                             | mains electricity |
| Height                                   | 41.2 mm           |
| LED indicators                           | Link              |
| Width                                    | 113.1 mm          |
| Depth                                    | 74.6 mm           |
| Rack mounting                            | No                |
| Humidity measurement range               | 10 - 90%          |
| Switching capacity                       | 20 Gb/s           |
| Quick start guide                        | Yes               |
| Networking standards                     | IEEE 802.3ab      |
| Switch type                              | Unmanaged         |
| 10G support                              | No                |
| DC input voltage                         | 7 V               |
| Operating temperature (T-T)              | -40 to 75 °C      |
| Total Power over Ethernet (PoE) budget   | 240 W             |
| Reset button                             | No                |
| MAC address table                        | 2048 entries      |
| Power supply included                    | No                |
| Power over Ethernet (PoE) ports quantity | 8                 |
| Power over Ethernet (PoE)                | Yes               |
| Power over Ethernet (PoE) power per port | 30 W              |
| Fast Ethernet (copper) ports quantity    | 8                 |

|                                               |                        |
|-----------------------------------------------|------------------------|
| Power over Ethernet (PoE) voltage             | 48 V                   |
| Power over Ethernet (PoE) type supported      | Active PoE             |
| Product colour                                | Black                  |
| Basic switching RJ-45 Ethernet ports type     | Fast Ethernet (10/100) |
| Watch case material                           | Aluminium              |
| Basic switching RJ-45 Ethernet ports quantity | 8                      |
| Stackable                                     | No                     |
| Product weight                                | 280 g                  |

Full product description

Teltonika TSW040 industrial switch that offers reliable and efficient network connectivity in various industrial environments

Equipped with eight RJ45 ports, this innovative [unmanaged switch](#), each with Power over Ethernet support, this switch provides a total power budget of 240W, allowing you to power various network devices without the need for additional power supplies. The robust IP30-rated aluminum housing guarantees durability and resistance to harsh environments.



Reliable PoE connectivity

The Teltonika TSW040 features eight PoE-enabled RJ45 ports, allowing **simultaneous power and data transmission to connected devices**. Each port offers up to 30W of power, which is ideal for powering IP cameras, Wi-Fi access points and other PoE devices. With a total power budget of 240W, this switch ensures stable and efficient network operation.



## Robust industrial design

Teltonika TSW040 switch is designed for harsh industrial environments. The IP30-rated aluminum housing provides high resistance to mechanical damage and protection from dust and other environmental factors. The operating temperature range of -40°C to 75°C allows **trouble-free operation in extreme conditions.**



## Easy installation and operation

The TSW040 is an unmanaged switch, which means it does not require complicated configuration. It is ready to use as soon as you plug it in, saving you time and effort. Its DIN-rail mounting capability makes installation quick and convenient, and LEDs indicate connection and power status, making **it easy to monitor the device's operation.**