



Tenda TEG1009P-EI | Switch | 8x RJ45 1000Mb/s, PoE, 99W



link to the product:

<https://www.batna24.com/gb/p/switches/tenda-teg1009p-ei-switch-8x-rj45-1000mb-s-poe-99w>

Price: **373.08 zł** gross / 303.32 zł net

Tenda[®]

Manufacturer: TENDA

Referention number: DNXGFPINERMMHH

Product features


Regulatory Approvals	FCC, CE, RoHS
Storage relative humidity (H-H)	5 - 90%
Height	27 mm
LED indicators	Activity
Wall mountable	Yes
Width	235 mm
Depth	103 mm
Auto-negotiation	Yes
Mean time between failures (MTBF)	50000 h
Surge protection voltage	Yes
Surge protection voltage	4 kV
Input current	2.1 A
Storage temperature (T-T)	-40 to 70 °C
Power consumption (max)	107 W
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Switching capacity	18 Gb/s
Networking standards	IEEE 802.3
10G support	No
Full duplex	Yes
MAC address auto-learning supported	Yes
MAC address auto-aging supported	Yes

Auto MDI/MDI-X	Yes
DC input voltage	51 V
Plug and Play	Yes
Operating temperature (T-T)	0 – 40 °C
Total Power over Ethernet (PoE) budget	99 W
Flow control support	Yes
MAC address table	4000 entries
Power over Ethernet (PoE) ports quantity	8
Power over Ethernet (PoE)	Yes
AC input frequency	50 Hz
AC input voltage	100 V
Power over Ethernet (PoE) power per port	30 W
Cable types supported	Cat5
Store-and-forward	Yes
Product colour	Grey
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Watch case material	Metal
Basic switching RJ-45 Ethernet ports quantity	9

Full product description

Tenda TEG1009P-EI Gigabit Switch

The **Tenda TEG1009P-EI** is a 9-port Gigabit desktop switch with **8 PoE ports** and one WAN port for fast Internet connectivity. LAN ports one through eight support **802.3 af** technology, which provides **15.4 watts** of power to the connected device. The first four ports operate with **802.3 at** technology, which provides up to **30 watts** of power.



Good performance and excellent surge protection

Data is transmitted over Cat5e twisted pair cables that can be connected to **an access point, IP camera or IP phone** and transmit both data and power over a single cable. The Tenda TEG1009P-EI switch is **802.3 az** compliant, which is designed for improved performance and built-in surge protection to **protect your equipment** in the event of a lightning strike.



Easy setup and convenient installation

The Tenda TEG1009P-EI switch is easy to connect and configure thanks to its **Plug and Play** functionality.

