



Totolink EX1200L | WiFi Range Extender | AC1200, Dual Band, 1x RJ45 100Mb/s, OLED display



link to the product:

<https://www.batna24.com/gb/p/wi-fi-signal-boosters/totolink-ex1200l-wifi-range-extender-ac1200-dual-band-1x-rj45-100mb-s-oled-display>

Price: **129.99 zł** gross / 105.68 zł net

Manufacturer: TOTOLINK



The Smartest Network Device

Referention number: DNXXGFQPMERMMLO



Product features

Storage relative humidity (H-H)	5 - 95%
Antenna type	External
LED indicators	System
Wi-Fi Multimedia (WMM)/(WME)	Yes
Input current	0.1 A
Storage temperature (T-T)	-40 - 70 °C
Humidity measurement range	5 - 95%
Data transfer rate	1167 Mb/s
Quick start guide	Yes
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	1
Antenna gain level (max)	5 gain
SSID Broadcast	Yes
Wi-Fi data rate (max)	1167 Mbit/s
Plug and Play	Yes
Operating temperature (T-T)	0 - 50 °C
Cabling technology	10/100Base-T(X)
Quality of Service (QoS) support	Yes
Reset button	Yes
Firmware upgradeable	Yes
Web-based management	Yes
WPS push button	Yes

Power over Ethernet (PoE)	No
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Wi-Fi standards	802.11a
Wi-Fi	Yes
AC input frequency	50 Hz
AC input voltage	100 V
Antennas quantity	2
Product colour	Black
Host interface	RJ-45
Maximum transfer distance	30 m
DHCP client	Yes
DHCP server	Yes
Watch case material	Acrylonitrile butadiene styrene (ABS)
Type	Network transmitter & receiver

Full product description

EX1200L - AC1200 dual-band Wi-Fi repeater

- Eliminates dead zones with strong Wi-Fi expansion at up to 1.2 Gbps
- Provides both 2.4 GHz (300 Mbps) and 5 GHz (867 Mbps) bands for more stable and faster wireless connectivity
- Smart screen helps you find the best place to set up, showing connection status and signal strength
- Two external high-gain antennas increase effective Wi-Fi range and improve reception and transmission stability
- Ethernet port for reliable wired connection
- Supports Wi-Fi WPS (Wi-Fi Protected Setup) extension.
- Supports quick configuration in the phone interface
- Supports access point mode



Wireless dual frequency speed

The **EX1200T** range extender **is compatible with the 802.11ac wireless standard**, allowing up to **1167 Mbps** (AC1200) on both bands at the same time.



Determine the optimal installation location

The screen on the EX1200L indicates the signal strength received from the source to help users easily identify and install the unit in the optimal location. Featuring a bracket compatible with all outlets and a compact size, users can now install the device **anywhere in the home** without worrying about taking up much space.

