



Totolink N300RT V4 | WiFi Router | 300Mb/s, 2,4GHz, 5x RJ45 100Mb/s



link to the product:

<https://www.batna24.com/gb/p/routers/totolink-n300rt-v4-wifi-router-300mb-s-24ghz-5x-rj45-100mb-s>

Price: **79.99 zł** gross / 65.03 zł net

Manufacturer: TOTOLINK



The Smartest Network Device

Referention number: DNXGFQLKGRMMJI

Product features

Antenna included	Yes
Storage relative humidity (H-H)	5 - 90%
Product type	Tabletop router
Height	24 mm
Output voltage	9 V
LED indicators	LAN
Receiver sensitivity	11b 11M $\square$ -81dBm@8% PER 11g 54M $\square$ -68dBm@10% PER 11n HT20 MCS7 $\square$ -65dBm@10% PER HT40 MCS7 $\square$ -62dBm@10% PER
USB charging port	No
Firewall	Yes
URL filtering	Yes
Memory card slot(s)	No
Universal Plug and Play (UPnP)	Yes
Width	134 mm
Depth	76 mm
4G	No
Security algorithms	128-bit WEP
Power management	4.5 W
WAN connection type	RJ-45
Storage temperature (T-T)	-40 - 70 °C
Cables included	LAN (RJ-45)
Power consumption (typical)	4.5 W

Humidity measurement range	10 - 90%
Ethernet LAN interface type	Fast Ethernet
Networking standards	IEEE 802.11b
Ethernet LAN (RJ-45) ports	4
Antenna gain level (max)	5 gain
Filtering	Yes
DC-in jack	Yes
Plug and Play	Yes
Operating temperature (T-T)	0 - 50 °C
Quick installation guide	Yes
AC adapter included	Yes
Quality of Service (QoS) support	Yes
Indication light	Yes
Reset button	Yes
Firmware upgradeable	Yes
Web-based setup wizard	Yes
Dynamic DNS (DDNS)	Yes
Web-based management	Yes
External power adapter	Yes
WPS push button	Yes
On/off switch	No
Output current	0.5 A
Power over Ethernet (PoE)	No
Wi-Fi band	Single-band (2.4 GHz)
Parental control	Yes
Wi-Fi standards	802.11b
Ethernet LAN	Yes
AC input frequency	50 Hz
AC input voltage	100 V
SIM card slot	No
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Power source type	DC
Built-in processor	Yes
Antenna design	External
3G	No
Antennas quantity	2
Detachable antenna(s)	No
Product colour	White
Access Control List (ACL)	Yes
DMZ support	Yes
IP address filtering	Yes
MAC address filtering	Yes
WLAN data transfer rate (first band)	300 Mb/s
WLAN data transfer rate (second band)	54 Mb/s
Ethernet WAN	Yes
Port forwarding	Yes
WLAN data transfer rate (third band)	11 Mb/s
WLAN data transfer rate (max)	300 Mb/s

Built-in display	No
DHCP client	Yes
DHCP server	Yes
3G/4G USB modem compatibility	No
DSL WAN	No
Watch case material	Acrylonitrile butadiene styrene (ABS)

Full product description

Powerful 300 Mbps Wi-Fi

TOTOLINK N300RT V4 is an 802.11n compliant wireless router with a **300 Mbps wireless transfer rate**. Thanks to 2 high-gain antennas, the device provides a stable, long-range Wi-Fi signal, allowing many devices to connect to the Internet simultaneously. In addition, the N300RT V4 also supports the advanced WPA / WPA2 security standard to prevent unauthorized access to Wi-Fi networks.



High speed wireless network

Compatible with the 802.11n wireless standard, the Totolink N300RT V4 delivers high speeds of up to 300 Mbps to satisfy most home Internet applications such as network communications, online gaming or video streaming.



Stable and efficient

Equipped with **2** high performance **antennas**, the N300RT V4 allows the Wi-Fi signal to be shared with multiple connected devices at the same time. The advanced security standard **WPA / WPA2 (TKIP / AES)** is built into the device to ensure the security of the Wi-Fi connection without fear of unauthorized access. With the Wi-Fi scheduler feature, parents can now easily manage their children's access to the Internet by planning to turn Wi-Fi on and off or block unwanted websites.



N300RT - 300 Mbps wireless router

1. Compatible with IEEE 802.11 b/g/n connection standards operating in the 2.4GHz band
2. Data transfer rate reaches 300 Mb/s
3. Using MIMO technology helps improve signal quality and coverage area
4. Supports **DHCP, static IP, PPPoE (dual access), PPTP (dual access), L2TP (dual access)**
5. 64/128-bit security for **WEP, WPA, WPA2 and WPA-Mixed**
6. Easy to connect and use with **WPS**
7. Supports IP, port, MAC, URL filtering and port forwarding
8. Band management with **QoS** based on IP / MAC
9. **Multi-SSID** allows users to create multiple SSIDs according to their needs.
10. It supports VLANs so users can watch IPTV and other Internet services.
11. Easy coverage extension with Repeater and WDS.
12. **Support for TR-069 protocol** for remote management.