



TP-Link Archer C6 v2 | WiFi Router | AC1200, MU-MIMO, Dual Band, 5x RJ45 1000Mb/s



link to the product:

<https://www.batna24.com/gb/p/routers/tp-link-archer-c6-v2-wifi-router-ac1200-mu-mimo-dual-band-5x-rj45-1000mb-s>

Price: **158.36 zł** gross / 128.75 zł net



Manufacturer: TP-LINK

Referention number: DNXGFNLMFRMMIH

Product features

Storage relative humidity (H-H)	5 - 90%
Product type	Tabletop router
Height	35 mm
Output voltage	12 V
LED indicators	LAN
Receiver sensitivity	5GHz: 11a 6Mbps:-93dBm 11a 54Mbps:-78dBm 11ac HT20 mcs8:-69dBm;11ac HT40 mcs9:-65dBm; 11ac HT80 mcs9:-62dBm; 2.4GHz: 11g 54Mbps:-78dBm; 11n HT20 mcs7:-74dBm; 11n HT40 mcs7:-71dbm
USB charging port	No
Routing protocols	IP
Firewall	Yes
Universal Plug and Play (UPnP)	Yes
Firewall security	DoS, SPI Firewall, IP and MAC Address Binding
Wall mountable	Yes
Width	230 mm
Depth	144 mm
4G	No
Security algorithms	128-bit WEP
Wi-Fi Multimedia (WMM)/(WME)	Yes
WAN connection type	RJ-45
Storage temperature (T-T)	-40 - 70 °C


Cables included	LAN (RJ-45)
Mac compatibility	Yes
Humidity measurement range	10 - 90%
Ethernet LAN interface type	Gigabit Ethernet
Quick start guide	Yes
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	4
DC-in jack	Yes
Operating temperature (T-T)	0 - 40 °C
Package depth	240 mm
Package height	82 mm
AC adapter included	Yes
Package width	350 mm
Cabling technology	10/100/1000Base-T(X)
Quality of Service (QoS) support	Yes
Supported network protocols	IPv4, IPv6
Reset button	Yes
Dynamic DNS (DDNS)	Yes
Number of guest networks (2.4 GHz)	1
MU-MIMO technology	Yes
Wireless Distribution System (WDS) bridge	Yes
WPS push button	Yes
On/off switch	Yes
Number of guest networks (5 GHz)	1
Output current	1 A
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Parental control	Yes
Wi-Fi standards	802.11a
Ethernet LAN	Yes
Linux operating systems supported	Yes
Mac operating systems supported	macOS
Windows operating systems supported	Windows 10
SIM card slot	No
Port triggering	Yes
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Power source type	DC
Antenna design	External
3G	No
Antennas quantity	5
Product colour	Black
Guest access	Yes
Network address translation (NAT)	Yes
DoS attack prevention	Yes
DMZ support	Yes
WLAN data transfer rate (first band)	300 Mb/s
WLAN data transfer rate (second band)	867 Mb/s
Ethernet WAN	Yes
Port forwarding	Yes

WLAN data transfer rate (max)	867 Mb/s
DHCP client	Yes
DHCP server	Yes
3G/4G USB modem compatibility	No
DSL WAN	No

Full product description


Archer C6 - Gigabit home wireless router

Router Archer C6 is an extremely popular router that can support a home entertainment center. **Archer C6** broadcasts 2 separate wireless networks in the **2.4 GHz and 5 GHz** bands, ensuring the highest quality wireless connections. The 2.4GHz and 5GHz dual-band AC1200 offers connection speeds that will satisfy even the most demanding users. It allows you to enjoy less demanding activities in the 2.4GHz band, such as email and web browsing, while using the 5GHz band for demanding, delay-sensitive applications such as online gaming or high-quality video streaming.



High-quality antennas that provide coverage throughout the home

Four external antennas and one internal antenna will deliver Wi-Fi to every corner of your home. You can stop worrying about network availability and enjoy a fast connection, because the Archer C6, equipped with a powerful chipset, will provide **perfect Wi-Fi coverage** everywhere. The 2.4GHz band is unrivalled, it eliminates "**dead zones**" of Wi-Fi and far exceeds the capabilities of other AC1200 standard routers.



MU-MIMO - higher speed, throughput and efficiency

The Archer C6 offers much more than just faster Wi-Fi. By increasing the efficiency of communication between devices, we can be sure of optimal network operation. **MU-MIMO 2x2** technology allows for **simultaneous** communication with two devices.



Even faster gigabit connections

With one **gigabit WAN port** and four **gigabit LAN ports** the connection can be ten times faster than standard Ethernet connections/ You will be impressed by Archer C6's capabilities!



Easy and quick configuration with the Tether application

Free **Tether** application available for everyone! Download it today to your device with [Android](#) or [iOS](#) . This allows you to easily configure your router and adjust the network settings.

MU-MIMO AC1200 Archer C6 Gigabit Wi-Fi Router

- Support for 802.11ac standard
- 2.4 GHz (300 Mbps) and 5 GHz (867 Mbps) networks offer a total capacity of 1200 Mbps
- 4 external antennas and one internal antenna provide a stable wireless connection and maximum network coverage
- Easy network management with TP-Link Tether application
- MU-MIMO 2x2 technology provides the ability to connect to two devices simultaneously, doubling the performance of the router
- Support for AP mode, which allows you to create a Wi-Fi access point

