



**TP-Link CPE605 | CPE | 5GHz,
150Mb/s, 1x RJ45 100Mb/s,
23dBi**



link to the product:

<https://www.batna24.com/gb/p/radio-lines/tp-link-cpe605-cpe-5ghz-150mb-s-1x-rj45-100mb-s-23dbi>

Price: **228.47 zł** gross / 185.75 zł net



Manufacturer: TP-LINK

Referention number: DNXXGGHIQIRMMIO

Product features

Regulatory Approvals	CE, FCC
Storage relative humidity (H-H)	5 - 95%
Height	156 mm
Input voltage	16 V
Antenna type	Directional antenna
Width	233.4 mm
Depth	170 mm
Mounting kit	Yes
Storage temperature (T-T)	-40 - 70 °C
Cables included	AC
Compliance certificates	RoHS
Package weight	1420 g
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85177100
Networking standards	IEEE 802.11a
Antenna gain level (max)	23 gain
IFU / User manual	Yes
Flash memory	8 MB
Protection features	Dust resistant
Operating temperature (T-T)	-40 - 70 °C
Quick installation guide	Yes
Package depth	155 mm

Package height	135 mm
Package width	328 mm
Cabling technology	10/100Base-T(X)
Frequency band	5 GHz
Mounting	Pole
Processor frequency	560 MHz
Water-resistant	Yes
International Protection (IP) code	IP65
Internal memory	64 MB
Processor model	Atheros MIPS 74Kc
Power source type	PoE
Built-in processor	Yes
Product colour	White
Internal memory type	DDR2
Horizontal beam width	7 °
Vertical beam width	10 °
Gain	23 gain
Watch case material	Plastic

Full product description


Outdoor CPE 23dBi, 5GHz, 150Mbps

With a high-gain 23dBi directional Cassegrain antenna and a dedicated metal reflector, **the CPE605** provides excellent beam directivity, improved latency and noise immunity. Professional performance combined with a user-friendly design makes the outdoor CPE605 an ideal choice and cost-effective solution for outdoor networking applications.



Pharos Control - centralized management system

The CPE605 comes with **Pharos Control** centralized management software that helps users easily manage all devices on the network from a single computer. Features include device discovery, status monitoring, firmware upgrades, and network maintenance. The intuitive PharOS web interface provides an alternative management method and allows professionals to access more detailed configurations.



Compact and lightweight packaging

The small and lightweight box is particularly useful for transport, logistics and retail.



Special features:

- Transmission speed up to 150 MB/s.
- 23dBi directional antenna with high gain.
- Excellent beam directionality.
- Innovative parts ensure quick installation.
- Durable IP65 weatherproof housing.
- TP-Link Pharos TDMA technology improves throughput.
- Pharos Control provides administrators with a free centralized management system.
- Passive PoE support enables flexible deployment and convenient installation.