



**TP-Link EAP610-Outdoor |
Access point | MU-MIMO,
AX1800, Dual Band, 1x RJ45
1000Mb/s, IP67**



link to the product:

<https://www.batna24.com/gb/p/access-points/tp-link-eap610-outdoor-access-point-mu-mimo-ax1800-dual-band-1x-rj45-1000mb-s-ip67>

Price: **574.14 zł** gross / 466.78 zł net



Manufacturer: TP-LINK

Referention number: DNXGGJLMERMLPJ

Product features

Storage relative humidity (H-H)	5 - 90%
Manageability features	Omada
Height	56.9 mm
Antenna type	Internal
LED indicators	Yes
Width	280.4 mm
Depth	106.5 mm
Security algorithms	WEP
BeamForming	Yes
Wi-Fi Multimedia (WMM)/(WME)	Yes
Mounting kit	Yes
Storage temperature (T-T)	-40 - 70 °C
Syslog	Yes
Maximum data transfer rate	1800 Mb/s
Rate limiting	Yes
Package weight	1290 g
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	1
Antenna gain level (max)	5 gain
Operating temperature (T-T)	-30 - 70 °C

Package depth	325 mm
Package height	67 mm
Package width	241 mm
Quality of Service (QoS) support	Yes
VLAN support	Yes
Management protocols	SNMP v1/v2c
Band steering	Yes
Web-based management	Yes
International Protection (IP) code	IP67
Power over Ethernet (PoE)	Yes
MIMO type	Multi User MIMO
MIMO	Yes
PoE adapter included	Yes
Placement	Pole
Wireless isolation	Yes
Number of SSID supported	16
Antenna features	Integrated antenna
Product colour	White
MAC address filtering	Yes
Automatic channel selection	Yes
Automatic channel scanning	Yes
Maximum data transfer rate (5 GHz)	1201 Mb/s
Maximum data transfer rate (2.4 GHz)	574
6 GHz	No
5 GHz	Yes
2.4 GHz	Yes

Full product description

Powerful Wi-Fi 6 for outdoor applications

TP-Link outdoor WiFi access points ensure smooth WiFi performance outdoors even in harsh outdoor conditions. Outdoor wifi extenders are ideal for use at outdoor events, WiFi outside the home or in the garden, backyard, pool or coffee shop. The **TP-Link EAP610** is ideal for wirelessly connecting a camera or outdoor speakers.



Two Wi-Fi bands 6

With **Wi-Fi 6**, the **EAP610-Outdoor** has a combined Wi-Fi speed of up to 1.8 Gbps on both the 2.4 GHz and 5 GHz bands, making it suitable for high-density customer locations such as outdoor cafes or parks.



Wide coverage area

Together with powerful amplifiers and Wi-Fi 6, the antennas will provide high-quality connectivity and long Wi-Fi range in various outdoor scenarios: up to 200 meters at 2.4 GHz and up to 300 meters at 5 GHz.




Multiple connections


OFDMA and **MU-MIMO** greatly improve Wi-Fi performance when dozens of devices are connected simultaneously outdoors. **OFDMA** is used to make more efficient use of the channel and reduce latency. **MU-MIMO** provides 4 times the throughput in high client density scenarios, allowing more devices to be connected simultaneously.

Optimized network performance

Intelligent self-organization will choose the best path between access points, and **self-healing** will allow the network to stay online even if one access point fails.




Samoorganizacja



Samodzielna naprawa

Fast roaming


Ensures uninterrupted connectivity on client devices while moving by automatically reconnecting clients to access points with the best signal quality



All-weather housing with IP67 protection

The **EAP610-Outdoor** is fully sealed against dust and moisture, as well as resistant to shock and vibration, so the access point will work even in the harshest weather conditions.

- Waterproof
- Lightning protection - 6 kV, electrostatic discharge protection - 15 kV
- Dustproof



Easy operation with the Omada app

Follow the **Omada app**'s instructions to get set up in minutes. The app allows you to change settings, monitor network status and manage clients from your smartphone or tablet.

