**Batna sp. z o. o.**

ul. 1 Maja 23 09:00-16:00
42-217 Częstochowa
tel: +48 34 361 04 48
fax: +48 575 799 399

# TP-Link LS105G | Switch | 5x RJ45 1000Mb/s

6 935364 085445 >

link to the product:
https://www.batna24.com/gb/p/switches/tp-link-ls105g-switch-5x-rj45-1000mb-s

Price: **54.99 zł** gross / 44.71 zł net

Manufacturer: TP-LINK

Referention number: DNXGGHJKMRMMIJ

## Product features

| | |
|---|---|
| Regulatory Approvals | CE, FCC, RoHS |
| Storage relative humidity (H-H) | 5 – 90% |
| Power source | mains electricity |
| Height | 25 mm |
| Input voltage | 5 V |
| LED indicators | Activity |
| Wall mountable | Yes |
| Width | 99.8 mm |
| Depth | 98 mm |
| Auto-negotiation | Yes |
| Packet buffer memory | 1 MB |
| Input current | 0.6 A |
| Storage temperature (T-T) | -40 to 70 °C |
| Rack mounting | No |
| Power consumption (max) | 2.776 W |
| Package weight | 290 g |
| Humidity measurement range | 10 – 90% |
| Harmonized System (HS) code | 85176990 |
| Switching capacity | 10 Gb/s |
| Quick start guide | Yes |
| Networking standards | IEEE 802.1p |
| Switch type | Unmanaged |
| 10G support | No |

| | |
|---|---|
| Auto MDI/MDI-X | Yes |
| Operating temperature (T-T) | 0 – 40 °C |
| Package depth | 128 mm |
| Package height | 92 mm |
| Heat dissipation | 9.466 British thermal unit per hour |
| Package width | 125 mm |
| Quality of Service (QoS) support | Yes |
| Jumbo frames | 16000 |
| Jumbo frames support | Yes |
| MAC address table | 2000 entries |
| Power supply included | Yes |
| Power over Ethernet (PoE) | No |
| Gigabit Ethernet (copper) ports quantity | 5 |
| Product colour | Blue |
| Power connector | DC-in jack |
| Basic switching RJ-45 Ethernet ports type | Gigabit Ethernet (10/100/1000) |
| Watch case material | Metal |
| Basic switching RJ-45 Ethernet ports quantity | 5 |

**Full product description**

## Desktop Switch, 5 ports 10/100/1000Mbps

The TP-Link LS105G is a **LiteWave** Series switch that is a great choice for anyone looking for an easy and affordable solution to expand an existing wired network. This switch features simple operation and high reliability. Thanks to **plug and play** installation, the network can be expanded with other devices very quickly. The device offers a total of five RJ45 ports with auto adaptation **10/100/1000 Mbps** supporting AUTO-MDI / MDIX.

## Main advantages

- RJ45 with auto adaptation 5 x10/100/1000Mb with Auto-MDI / MDIX support.
- Green Ethernet technology to save energy.
- IEEE 802.3x flow control ensures reliable data transmission.
- Plug and play, no configuration required
- The fanless design ensures quiet operation.
- 802.1p / DSCP QoS support.



## Plug and Play installation

Thanks to the **Plug and Play** functionality, the switch only needs to be connected to the power supply, and the installation and configuration of the device will run automatically.

## Durable metal housing

The outer casing of the LS105 switch is made of high-grade steel, which ensures long life of the device. In addition, the product meets a range of rigorous reliability tests. The LS105G's compact size makes it ideal for home or workbench installations.

## Use where and how you want

The LS105G communicates easily with network devices such as; **computers, printers, webcams or IPTV.** This makes it ideal for dormitory, home, small business and surveillance applications.

Akademik
Obiekt monitorowany
Dom
Mała firma
mashroom6