



TP-Link RE305 | Wi-Fi Range Extender | AC1200, 1x RJ45 100Mb/s



link to the product:

<https://www.batna24.com/gb/p/wi-fi-signal-boosters/tp-link-re305-wi-fi-range-extender-ac1200-1x-rj45-100mb-s>

Price: **156.14 zł** gross / 126.94 zł net



Manufacturer: TP-LINK

Referention number: DNXGFOHLIRMMHO

Product features

Storage relative humidity (H-H)	5 - 90%
Height	77 mm
Antenna type	Internal
LED indicators	Yes
Width	80 mm
Depth	78 mm
Security algorithms	128-bit WEP
Power plug type	Type I
Storage temperature (T-T)	-40 - 70 °C
Compliance certificates	CE
Power consumption (max)	7.3 W
Mac compatibility	Yes
Package weight	300 g
Humidity measurement range	10 - 90%
Data transfer rate	867 Mb/s
Harmonized System (HS) code	85176990
Quick start guide	Yes
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	1
Wi-Fi data rate (max)	867 Mbit/s
Country of origin	China
Operating temperature (T-T)	0 - 40 °C

Package depth	160 mm
Package height	200 mm
Package width	150 mm
Cabling technology	10/100Base-T(X)
Package type	Box
Reset button	Yes
WPS push button	Yes
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Wi-Fi standards	802.11a
Wi-Fi	Yes
AC input frequency	60 Hz
AC input voltage	220 V
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Windows operating systems supported	Windows 10
Antennas quantity	2
Product colour	White
Type	Network repeater

Full product description


AC1200 Universal Dual Band Wireless Amplifier

Do you want to extend the range of your wireless WiFi network? Dual-band network amplifier with **TP-LINK RE305 AC1200** will extend the range of remote areas that the router does not reach, as well as increase the overall speed of the connection and reduce the interruption of supply. Operation and configuration of the device is extremely simple: **just connect TP-LINK RE305 AC1200 and configure it with the free mobile application.**




High-speed dual-band Wi-Fi for better connectivity

TP-Link RE305 Wi-Fi signal extender allows to connect multiple devices at the same time, operating in **2.4 GHz bands with transfer speeds of 300 Mbps** and **5 GHz, with data transfer speeds up to 867 Mbps**. Use the 2.4GHz band for normal email and web browsing, and the 5GHz band for gaming and HD video streaming.



Access point function

RE305 is more than just a wireless signal amplifier. Simply plug an Ethernet cable into a network port and **it can easily turn your wired Internet into a wireless one as it can be switched to dual-band access point mode**.



Easy administration and remote control

TP-Link **RE305** signal amplifier **can be used in conjunction with any Wi-Fi router**. In addition, **you can use TP-Link's free Tether app**, which allows you to control your wireless signal amplifier settings from any **Android or iOS** device within minutes. The app has a number of features that not only help ensure a seamless installation, but also allow you to adjust advanced network settings - **fast access and at your fingertips**.

