



TP-Link RE605X | WiFi Range extender | AX1800, Dual Band, 1x RJ45 1000Mb/s



link to the product:

<https://www.batna24.com/gb/p/wi-fi-signal-boosters/tp-link-re605x-wifi-range-extender-ax1800-dual-band-1x-rj45-1000mb-s>

Price: **401.93 zł** gross / 326.77 zł net



Manufacturer: TP-LINK

Referention number: DNXXGGHJLMRMMJH

Product features


Storage relative humidity (H-H)	5 - 90%
Height	124.8 mm
Antenna type	External
LED indicators	Yes
Width	74 mm
Depth	46 mm
Security algorithms	128-bit WEP
Storage temperature (T-T)	-40 - 70 °C
Compliance certificates	CE
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
Package weight	420 g
Power consumption (typical)	10 W
Humidity measurement range	10 - 90%
Data transfer rate	1201 Mb/s
Harmonized System (HS) code	85176990
Quick start guide	Yes
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	1
Wi-Fi data rate (max)	1200 Mbit/s
Country of origin	China
Operating temperature (T-T)	0 - 40 °C
Package depth	125 mm

Package height	97 mm
Package width	202 mm
Cabling technology	10/100/1000Base-T(X)
Package type	Box
Reset button	Yes
WPS push button	Yes
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Wi-Fi standards	802.11a
Wi-Fi	Yes
AC input frequency	50 Hz
AC input voltage	100 V
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Windows operating systems supported	Windows 10
Antennas quantity	2
Product colour	White
Type	Network repeater

Full product description

AX1800 Universal Wireless Network Repeater

A new Wi-Fi signal booster, the **RE605X** is a device that uses next-generation Wi-Fi technology - **802.11ax (Wi-Fi 6)** - to increase speed, improve performance and reduce network load in busy environments.



Support for your router

Supported by OneMesh technology, the **RE605X** creates a single Wi-Fi network throughout the home, and when combined with the TP-Link Wi-Fi 6 router, the **OneMesh** function ensures seamless roaming for connected users. The signal booster supports **OFDMA** and **1024-QAM** technologies for even better connection quality at speeds of up to 1.8 Gbps, and allows you to connect more devices at 4 times the average throughput.

Enjoy AX mesh networking without replacing your router


Compared to traditional MU-MIMO, the Wi-Fi 6 MU-MIMO offers more streams to choose from and works for both sending and receiving. Thanks to this feature even more users can connect to the same router simultaneously without worsening throughput quality.

1. Update the TP-Link router firmware to the version with OneMesh support - you don't have to replace any device
2. Connect the RE605X to the router
3. Enjoy the mesh network!



Access point mode

The Gigabit Ethernet port provides a high-speed wired connection for Smart TVs, computers and gaming consoles. In access point mode, simply plug an Ethernet cable into the **RE605X** port to transform the wired connection into a high-speed dual-band 2x2 MU-MIMO wireless connection.



Management easier than you think

The **Tether** app allows you to easily manage your network from any Android or iOS device. Set up and manage your Wi-Fi network, including TP-Link routers and repeaters.

