



TP-Link TD-W9960 | WiFi Router | N300, VDSL/ADSL, 2.4GHz, 4x RJ45 100Mb/s, 1x RJ11



link to the product:

<https://www.batna24.com/gb/p/routers/tp-link-td-w9960-wifi-router-n300-vdsl-adsl-24ghz-4x-rj45-100mb-s-1x-rj11>

Price: **164.03 zł** gross / 133.36 zł net



Manufacturer: TP-LINK

Referention number: DNXGGHJJIRMLNP

Product features


Regulatory Approvals	CE, RoHs
Storage relative humidity (H-H)	5 – 90%
Product type	Tabletop router
Height	36.2 mm
Output voltage	9 V
LED indicators	LAN
USB charging port	No
Firewall	Yes
Memory card slot(s)	No
Universal Plug and Play (UPnP)	Yes
Wall mountable	Yes
Width	181.6 mm
Depth	125.7 mm
4G	No
Security algorithms	128-bit WEP
WAN connection type	RJ-45
Storage temperature (T-T)	-40 - 70 °C
Cables included	LAN (RJ-45)
RJ-11 ports quantity	1
Mac compatibility	Yes
VPN Passthrough	Yes
Package weight	490 g

Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Ethernet LAN interface type	Fast Ethernet
Quick start guide	Yes
Networking standards	IEEE 802.3u
Ethernet LAN (RJ-45) ports	4
Antenna gain level (max)	5 gain
Filtering	Yes
DC-in jack	Yes
Operating temperature (T-T)	0 - 40 °C
Package depth	232 mm
Package height	70 mm
AC adapter included	Yes
Package width	285 mm
Cabling technology	10/100Base-T(X)
Quality of Service (QoS) support	Yes
Supported network protocols	IPv4, IPv6
Reset button	Yes
Firmware upgradeable	Yes
Dynamic DNS (DDNS)	Yes
WPS push button	Yes
On/off switch	Yes
Output current	0.6 A
Wi-Fi band	Single-band (2.4 GHz)
Wi-Fi standards	802.11b
Ethernet LAN	Yes
Linux operating systems supported	Yes
Windows operating systems supported	Windows 10
SIM card slot	No
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Power source type	DC
Antenna design	External
3G	No
VDSL2	Yes
Antennas quantity	2
ADSL	Yes
Product colour	White
Network address translation (NAT)	Yes
DMZ support	Yes
MAC address filtering	Yes
Ethernet WAN	Yes
WLAN data transfer rate (max)	300 Mb/s
3G/4G USB modem compatibility	No
DSL WAN	Yes

Full product description

Wi-Fi router TP-Link TD-W9960

The **TP-Link TD-W9960 ADSL2+** router has impressive design. The main task of the router is to **organize Internet access** using the resources of a DSL line. Support of VDSL2 standard enables the device to guarantee incoming speeds up to **100 Mbps**. The same speed is provided by WAN port connected to one of four LAN ports.



Long-range Wi-Fi network

The TP-Link TD-W9960 ADSL2+ router supports **802.11b, 802.11g, and 802.11n** standards. The wireless link is provided by **two external antennas**. The used band is **2.4 GHz**. The router is characterized by **long range**: the device is capable of providing high level of wireless signal in a large apartment or house.



The router can operate in temperature range from **0 to 40 °C**. The device is designed for indoor operation. The router is supplied with power supply unit, documentation, Ethernet cable and telephone cable.



Przycisk WPS

Natychmiast połącz swoje urządzenie z routerem bez podawania hasła.



Szybka konfiguracja i łatwe zarządzanie

Korzystając z interfejsu webowego wykonaj kolejne kroki konfiguracji, aby w kilka sekund wprowadzić ustawienia sieci i nią zarządzać.



Zaawansowane zabezpieczenia

Zapora sieciowa SPI oraz szyfrowanie WPA2 zapewnią bezpieczeństwo twojej sieci.