



TP-Link TL-MR3420 | WiFi Router | 3G/4G, N300, 5x RJ45 100Mb/s, 1x USB



link to the product:

<https://www.batna24.com/gb/p/routers/tp-link-tl-mr3420-wifi-router-3g-4g-n300-5x-rj45-100mb-s-1x-usb>

Price: **117.50 zł** gross / 95.53 zł net



Manufacturer: TP-LINK

Referention number: DNXEGLNPKRMMOP

Product features

Antenna included	Yes
Storage relative humidity (H-H)	5 - 95%
Product type	Tabletop router
Height	44 mm
Output voltage	12 V
Modulation	16-QAM
Receiver sensitivity	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER
USB charging port	Yes
Firewall	Yes
URL filtering	Yes
Firewall security	NAT, SPI
Width	204 mm
Depth	138 mm
WAN connection type	RJ-45
Storage temperature (T-T)	-40 - 70 °C
Cables included	LAN (RJ-45)
Compliance certificates	CE
Package weight	620 g
Humidity measurement range	10 - 90%
USB 2.0 ports quantity	1

Harmonized System (HS) code	85176990
Ethernet LAN interface type	Fast Ethernet
Networking standards	IEEE 802.11b
Ethernet LAN (RJ-45) ports	4
Antenna gain level (max)	5 gain
Auto MDI/MDI-X	Yes
Filtering	Yes
DC-in jack	Yes
Operating temperature (T-T)	0 – 40 °C
Quick installation guide	Yes
Package depth	240 mm
Package height	70 mm
AC adapter included	Yes
Package width	315 mm
Firmware upgradeable	Yes
Web-based management	Yes
WPS push button	Yes
On/off switch	Yes
Output current	1 A
DDoS protection	Yes
Wi-Fi band	Single-band (2.4 GHz)
Wi-Fi standards	802.11b
Ethernet LAN	Yes
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Windows operating systems supported	Windows 10
SIM card slot	No
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Power source type	AC
Antenna design	External
Antennas quantity	2
Antenna direction type	Omni-directional
Product colour	Black
IP address filtering	Yes
MAC address filtering	Yes
Ethernet WAN	Yes
WLAN data transfer rate (max)	300 Mb/s
Antenna connector type	RP-SMA
3G/4G USB modem compatibility	Yes
DSL WAN	No
Sustainability compliance	Yes

Full product description

TP-Link MR 3420 - 3G and 4G N standard wireless router

TP-Link MR 3420 is a wireless router working in N standard. The device enables sharing the Internet by several users at the same time, all you have to do is connect a 3G/4G USB modem to it.



Share your 3G/4G connection

The MR3420 Wireless Router gives you the ability to share your 4G network, it also supports older 3G modems, so users are able to share their broadband network. The device complies with IEEE 802.11n standard and, unlike IEEE 802.11g, is capable of sending Wi-Fi signal over longer distances. The TL-MR3420 provides connections of up to 300 Mbps, up to 32 Internet devices at the same time. The router is compatible with your smartphone, laptop, console etc.




Compatibility with all modems on the market

TP-Link realizes that compatibility is the most important feature of mobile routers, so it makes every effort to make its routers compatible with all modems available on the market.



Quick and easy configuration

Thanks to the **Tether application**, available on [iOS](#) and [Android](#), you will configure the TL-MR3420 in a few moments. The application is fully intuitive and every user can handle it. Security features such as **parental control** and **access control** will be available through your smartphone, from any place you happen to be.



Features TL-MR3420:

- Compatible with USB LTE/HSPA+/HSUPA/HSDPA/UMTS/EVDO modems
- Use of a backup link (3G/4G and WAN) providing a permanent connection to the Internet
- Local wireless HD video sharing at speeds up to 300 Mbps
- WPS button for quick establishment of a secure wireless connection
- Link bandwidth control enabling administrators to set data transmission speed limits for individual workstations