



TP-Link TL-PS110U | Print Server | Single USB2.0 Port Fast Ethernet



link to the product:

<https://www.batna24.com/gb/p/network-accessories/tp-link-tl-ps110u-print-server-single-usb20-port-fast-ethernet>

Price: **165.12 zł** gross / 134.24 zł net



Manufacturer: TP-LINK

Referention number: DNXGFOHMDRMLOH

Product features

Regulatory Approvals	FCC, CE
Storage relative humidity (H-H)	0 - 80%
Height	30 mm
Width	73 mm
Depth	65 mm
Power management	5V DC, 2A
Storage temperature (T-T)	-5 - 65 °C
Package weight	280 g
Interface	USB 2.0
Humidity measurement range	0 - 70%
Data transfer rate	100 Mb/s
USB 2.0 ports quantity	1
Networking standards	IEEE 802.3
Ethernet LAN (RJ-45) ports	1
DC-in jack	Yes
Operating temperature (T-T)	0 - 50 °C
Package depth	168 mm
Package height	68 mm
Package width	207 mm
Package type	Box
Supported network protocols	TCP/IP, IPX/SPX, NetBEUI, Apple Talk, LPR, IPP/SMB, RAW, TCP
Management protocols	Telnet

Web-based management	Yes
Network connection type	Ethernet LAN
Windows operating systems supported	Windows 10
Product colour	White
Network ready	Yes
DHCP client	Yes
Internal	No
Operating system	Windows 9x/ME, Windows NT/2000/XP/Vista, Mac OS 8.1 or Later, UNIX/Linux, Netware 3.12 or Later
Product dimensions (WxDxH)	73 mm

Full product description

USB Print Server

TP-LINK introduces a new print server to the market called **TL-PS110U**. **This device allows to connect a printer with USB port to the home or business network using RJ45 connector.** TP-LINK print servers are compatible with most printers available on the market.



Wide range of activities

TP-LINK TL-PS110U is a simple and inexpensive print server for home and workgroup use. **The print server is equipped with one USB port to connect a printer with USB interface**, which can be used by all clients connected to **100Mbit LAN**. The server supports **IEEE 802.3/802.3u** network standards. Besides, it supports **TCP/IP, IPX/SPX, NetBEUI, Apple Talk, LPR, IPP/SMB, RAW TCP** communication protocols.



Effective and immediate printing

Thanks to the **fast microprocessor** and **USB 2.0 port**, print jobs can be processed selectively and quickly at the same time. There are several useful applications for print server management, including **SNMP** for network monitoring and diagnostics of print server hardware. Thanks to the very clever and compact design of the device, you can place **the TL-PS110U** anywhere.



Features of the device

- Supports multiple protocols and operating systems, easy to configure in almost all network environments.
- Compatible with over 320 printer models on the market
- Simple configuration and management, very easy to use
- Compact and intelligent design that can be placed almost anywhere
- High speed microprocessor and USB 2.0 compliant print port for faster job processing

