



TP-Link TL-R480T+ | Router | 5x RJ45 100Mb/s, broadband with load balancing



link to the product:

<https://www.batna24.com/gb/p/routers/tp-link-tl-r480t-router-5x-rj45-100mb-s-broadband-with-load-balancing>

Price: **267.64 zł** gross / 217.59 zł net



Manufacturer: TP-LINK

Referention number: DNXEDKOSJRMMOQ

Product features

Regulatory Approvals	CE, FCC, RoHS
Storage relative humidity (H-H)	5 - 90%
Height	44 mm
LED indicators	Yes
URL filtering	Yes
Universal Plug and Play (UPnP)	Yes
Width	294 mm
Depth	180 mm
Security algorithms	802.1x RADIUS
Storage temperature (T-T)	-40 to 70 °C
Cables included	AC
Rack mounting	Yes
Compliance certificates	RoHS
Concurrent connections	30000
Package weight	1800 g
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.3
Ethernet LAN (RJ-45) ports	5
Full duplex	Yes
Flash memory	4 MB
DC-in jack	Yes

Operating temperature (T-T)	0 – 40 °C
Package depth	400 mm
Package height	80 mm
Package width	250 mm
Cabling technology	10/100Base-T(X)
Quality of Service (QoS) support	Yes
RS-232 ports	1
Supported network protocols	TCP/IP, ICMP, PPPoE, SNTP, HTTP
Ethernet interface type	Fast Ethernet
VLAN support	Yes
User Guide on CD-ROM	Yes
Reset button	Yes
Firmware upgradeable	Yes
Web-based management	Yes
Internal memory	64 MB
AC input frequency	50 Hz
AC input voltage	220 V
Fast Ethernet (copper) ports quantity	5
System event log	Yes
SIM card slot	No
Power source type	AC
Product colour	Black
Internal memory type	DRAM
Network address translation (NAT)	Yes
ARP attack prevention	Yes
DoS attack prevention	Yes
DMZ support	Yes
IP address filtering	Yes
MAC address filtering	Yes
Ethernet WAN	Yes
Policy-based routing	Yes
Port forwarding	Yes
Static route	Yes
DHCP client	Yes
DHCP server	Yes
3G/4G USB modem compatibility	No
DSL WAN	No
Product weight	2350 g

Full product description

TL-R470T broadband router - professional equipment for small businesses

TL-R470T is a **broadband router** equipped with 3 **LAN/WAN** ports, one **LAN** port and one **WAN** port. Thanks to this solution, the user can use the services of several Internet providers at once. The device also offers a **intelligent bandwidth load balancing function** depending on the current link load, thus providing an efficient and continuous connection to the Internet. The router provides high return on investment with relatively low overhead costs.



A secure network

To provide protection against unwanted attacks from outside, the TL-R470T+ automatically detects and blocks **DoS (Denial of Service)** attacks, such as **TCP/UDP/ICMP Flooding, Ping of Death**. It also offers **IP/MAC/URL/WEB** filtering functions to prevent unwanted users from connecting to the network and visiting unwanted sites by network clients. The device is equipped with algorithms that improve the operation of protocols, such as **FTP, H.323, SIP, IPsec** and **PPTP**, through the NAT of the router.

Comfortable access management and control

Thanks to authentication with **welcome page** we are sure that only authorized guests are connected to our network, who will authenticate themselves when logging in. Thanks to bandwidth control, we can limit the use of bandwidth by specific IP addresses. The router also has a **E-Bulletin** function, which ensures that messages are sent to the router's users via a web browser, and which will provide information e.g. about the expiry of an account **PPPoE**.

Advanced surge protection

The TL-R470T+ is designed to protect our device in all conditions, Therefore, it has such functions as surge protection or lightning protection with voltages up to **4 KV**.