



TP-Link TL-SF1005LP | Switch | 5x RJ45 100Mb/s, 4x PoE



link to the product:

<https://www.batna24.com/gb/p/switches/tp-link-tl-sf1005lp-switch-5x-rj45-100mb-s-4x-poe>

Price: **182.78 zł** gross / 148.60 zł net



Manufacturer: TP-LINK

Referention number: DNXGGHJMDRMLLO

Product features

Storage relative humidity (H-H)	5 - 90%
Power source	DC/PoE
Height	25 mm
LED indicators	Yes
Width	100 mm
Depth	98 mm
Auto-negotiation	Yes
Input current	0.81 A
Storage temperature (T-T)	-40 to 70 °C
Rack mounting	No
Compliance certificates	CE
Fanless	Yes
Power consumption (max)	47 W
Package weight	740 g
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Switching capacity	1 Gb/s
Networking standards	IEEE 802.3af
Switch type	Unmanaged
10G support	No
Full duplex	Yes
MAC address auto-aging supported	Yes

Auto MDI/MDI-X	Yes
Operating temperature (T-T)	0 – 40 °C
Package depth	196 mm
Package height	121 mm
Heat dissipation	160.27 British thermal unit per hour
AC adapter included	Yes
Package width	131 mm
Total Power over Ethernet (PoE) budget	41 W
User guide	Yes
Half duplex	Yes
Flow control support	Yes
Jumbo frames	2000
Jumbo frames support	Yes
MAC address table	2000 entries
Power supply included	Yes
Power over Ethernet (PoE) ports quantity	4
Power over Ethernet (PoE)	Yes
AC input frequency	50 Hz
AC input voltage	220 V
Cable types supported	Cat3
Store-and-forward	Yes
Copper ethernet cabling technology	100BASE-TX
Product colour	Black
Basic switching RJ-45 Ethernet ports type	Fast Ethernet (10/100)
Basic switching RJ-45 Ethernet ports quantity	5
Sustainability compliance	Yes


Full product description

TP-Link TL-SF1005LP is a 5-port 10/100Mbps desktop switch with 4 PoE ports. The 802.3af PoE compliance provides up to 15.W on each PoE port. The total PoE power budget is 41W for 4 PoE ports, opening up a wide range of applications for office, dorm and small business surveillance. The device is fully compatible with IP cameras, access points, IP phones, computers, printers. With the extension mode, the PoE transmission range reaches 250m - the device is ideal for deploying IP cameras over a large area.




Priority video - quality guaranteed

The quality of sensitive applications, such as video monitoring in critical business areas, is guaranteed by offering even higher priority options for ports 1-2. The priority mode is enabled with a single touch.



Intelligent energy management

When the total power consumption exceeds 41 watts, intelligent power management cuts power to the lower priority port. This provides power to the high priority ports and protects the device from overloading. The TL-SF1005LP automatically detects and provides the required power to PoE devices while protecting them.



Durable metal housing

The internal components of the TL-SF1005LP are protected by a high quality metal chassis to ensure an even longer product life. Having passed a series of rigorous reliability tests, TL-SF1005LP provides switching performance you can rely on.

Wysoka jakość wykonania

