



TP-Link TL-SG1008D | Switch | 8x RJ45 1000Mb/s, Desktop



link to the product:

<https://www.batna24.com/gb/p/switches/tp-link-tl-sg1008d-switch-8x-rj45-1000mb-s-desktop>

Price: **72.52 zł** gross / 58.96 zł net



Manufacturer: TP-LINK

Referention number: DNXIJNIMOHSQN

Product features

Storage relative humidity (H-H)	5 - 90%
Power source	mains electricity
Height	25.5 mm
LED indicators	Yes
Wall mountable	Yes
Width	180 mm
Depth	90 mm
Auto-negotiation	Yes
Packet buffer memory	2 MB
Input current	0.6 A
Storage temperature (T-T)	-40 to 70 °C
Cables included	AC
Rack mounting	No
Compliance certificates	CE
Fanless	Yes
Power consumption (max)	3.53 W
Package weight	300 g
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Switching capacity	16 Gb/s
Networking standards	IEEE 802.1p
Switch type	Unmanaged

10G support	No
Auto MDI/MDI-X	Yes
DC input voltage	9 V
Operating temperature (T-T)	0 – 40 °C
Package depth	185 mm
Package height	85 mm
Heat dissipation	15.8 British thermal unit per hour
AC adapter included	Yes
Package width	110 mm
Package type	Box
User guide	Yes
Flow control support	Yes
Jumbo frames	15000
Jumbo frames support	Yes
MAC address table	4000 entries
Power supply included	Yes
Power over Ethernet (PoE)	No
AC input frequency	50 Hz
AC input voltage	100 V
Gigabit Ethernet (copper) ports quantity	8
Maximum cable length	100 m
Cable types supported	Cat3
Store-and-forward	Yes
Copper ethernet cabling technology	1000BASE-T
Product colour	Black
Power connector	DC-in jack
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Basic switching RJ-45 Ethernet ports quantity	8
Stackable	No
Sustainability compliance	Yes

Full product description


Desktop switch

TL-SG1008D is a network switch equipped with **8 Gigabit RJ45** ports with automatic connection speed negotiation and **Auto MDI/MDIX**. The device works in **Green Ethernet** technology, which allows you to save up to 80% of power consumption. The desktop type housing made of plastic enables wall mounting, and the **plug and play** function makes the network switch not require configuration.



8-port Gigabit switch

With **eight 10/100/1000 Mbps ports** the **TL-SG1008D** switch increases network capacity, allowing you to transfer large files instantly. Users in homes, offices, workgroups or production environments now have the ability to transfer large files requiring high bandwidth. The exchange of graphics, CGI, CAD or multimedia files over the network is fast.



Energy-efficient Ethernet

You now can choose an environmentally friendly solution when creating a Gigabit Ethernet network. The **TL-SG1008D** Network Switch uses technology to enable high-bandwidth networks with high energy savings. The device automatically adjusts power consumption depending on the connection status and cable length. The switch also turns off power to idle ports.



Easy to operate

The switch's automatic functions make the switch's configuration unnecessary and the installation effortless. Thanks to the useful **MDI/MDIX** function there is no need for crossover cables. The automatic connection negotiation function allows you to automatically detect the speed of devices connected to each port (10, 100 or 1000 Mbps), ensuring optimal transmission performance.

