



TP-Link TL-WR850N | WiFi Router | 2.4GHz, 5x RJ45 100Mb/s



link to the product:

<https://www.batna24.com/gb/p/routers/tp-link-tl-wr850n-wifi-router-24ghz-5x-rj45-100mb-s>

Price: **65.19 zł** gross / 53.00 zł net



Manufacturer: TP-LINK

Referention number: DNXXGFQMRMRMKNP

Product features

Regulatory Approvals	FCC, CE, RoHS
Storage relative humidity (H-H)	5 - 90%
Product type	Tabletop router
Height	35 mm
Output voltage	9 V
LED indicators	LAN
USB charging port	No
Firewall	Yes
Memory card slot(s)	No
Universal Plug and Play (UPnP)	Yes
Width	182 mm
Depth	128 mm
4G	No
Security algorithms	128-bit WEP
Storage temperature (T-T)	-40 - 70 °C
Cables included	LAN (RJ-45)
Mac compatibility	Yes
Humidity measurement range	10 - 90%
Ethernet LAN interface type	Fast Ethernet
VPN support	PPTP, L2TP, IPSec
Networking standards	IEEE 802.11b
Ethernet LAN (RJ-45) ports	4

Filtering	Yes
DC-in jack	Yes
Operating temperature (T-T)	0 – 40 °C
Quick installation guide	Yes
AC adapter included	Yes
Cabling technology	10/100Base-T(X)
Quality of Service (QoS) support	Yes
Supported network protocols	IPv4, IPv6
Reset button	Yes
Web-based management	Yes
WPS push button	Yes
Output current	0.6 A
Wi-Fi band	Single-band (2.4 GHz)
Wi-Fi standards	802.11b
Ethernet LAN	Yes
Linux operating systems supported	Yes
Windows operating systems supported	Windows 10
SIM card slot	No
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Power source type	DC
Antenna design	External
3G	No
Antennas quantity	2
Product colour	Grey
DoS attack prevention	Yes
DMZ support	Yes
MAC address filtering	Yes
WLAN data transfer rate (first band)	300 Mb/s
Ethernet WAN	Yes
WLAN data transfer rate (max)	300 Mb/s
DHCP client	Yes
DHCP server	Yes
3G/4G USB modem compatibility	No
DSL WAN	No


Full product description

1. **Data transmission at 300 Mbps**, ideal for bandwidth-hungry tasks as well as for basic everyday applications.
2. **IPTV** transmission can be optimized **with IGMP Proxy/Snooping support**
3. Easy wireless network security with WPS key encryption
4. **Agile Config** support allows Wireless Internet Service Providers (WISPs) to adjust the default configuration to their requirements, solving problems that may be encountered by ISPs when end users reset the device.
5. Clear Channel Assessment (**CCA**) technology automatically prevents conflicts channels thanks to the free channel selection function, making full use of The advantages of channel binding for higher wireless performance.



TL-WR850N - Wireless router, N standard, 300 Mbps

TP-Link TL-WR850N is a high-speed IEEE 802.11b/g/n compatible router. **With 802.11n technology, the TL-WR850N provides users with wireless speeds of up to 300 Mbps**, which can meet the most demanding needs of a home network, such as HD streaming, online gaming and downloading large files.



CCA technology - stable wireless signal

Clear Channel Assessment (CCA) avoids channel conflicts by selecting the least saturated channel and optimizes the channel connection, thus increasing wireless performance. This enables you to create the ideal network for both bandwidth-intensive and typical tasks. This enables the connection to meet the most demanding needs of your private network, such as HD streaming, online games and large file downloads.



Support for Agile Config

This feature allows Wireless Internet Service Providers (WISP) to modify the default configuration to meet their needs when resetting devices.

