



Ubiquiti AM-M-V5G-TI | Sector antenna | airMAX Titanium, 5GHz, 15-17dBi



link to the product:

<https://www.batna24.com/gb/p/wi-fi-lte-antennas/ubiquiti-am-m-v5g-ti-sector-antenna-airmax-titanium-5ghz-15-17dbi>

Price: **646.43 zł** gross / 525.55 zł net



Manufacturer: UBIQUITI

Referention number: DNxEEIOUEKOJ

Product features

Regulatory Approvals	EN 302 326 DN2 CE, FCC, IC
Height	76 mm
Antenna type	Sector antenna
Width	385 mm
Depth	149 mm
Harmonized System (HS) code	85177100
Antenna gain level (max)	17 gain
Mounting	Wall
Product colour	White
Voltage Standing Wave Ratio (VSWR)	1.7:1
Horizontal beam width (5 GHz)	4 °
Vertical beam width (5 GHz)	3 °
Horizontal beam width	120 °
Vertical beam width	60 °
Polarization	Dual polarization
Antenna connector type	RP-SMA
Designation	Outdoor
Product weight	3250 g

Full product description

Breakthrough shape and performance

We present the **AirMax Sector Titanium** sector antenna, which is a continuation of the evolution of Ubiquiti antennas, the best sector antennas in its class. The advanced **RF isolation** and variable signal width configuration put the Sector Titanium at the forefront of sector antenna technology. The Ubiquiti antenna is an advanced PtMP base station.




Reduced interference, better gain

The ubiquiti **airMAX** sector antennas are very resistant to electromagnetic interference and therefore provide excellent amplification and transmission performance for efficient multi-point networks.



Insulation and bandwidth options

The universal models of airMAX Sector Titanium are equipped with advanced **radio signal isolation** and beam width adjustment: **60°**, **90°** or **120°**, which increases scalability.



Rugged construction

AirMAX antennas are designed with a robust mechanical structure for outdoor applications.



Plug and Play integration

The Titanium sector has an integrated Rocket mounting bracket, which allows Rocket devices to be mounted without any tools.

