



Ubiquiti ER-12P | Router | EdgeMAX EdgeRouter, 10x RJ45 1000Mb/s PoE, 2x SFP



link to the product:

<https://www.batna24.com/gb/p/routers/ubiquiti-er-12p-router-edgemax-edgerouter-10x-rj45-1000mb-s-poe-2x-sfp>

Price: **1,237.88 zł** gross / 1,006.41 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGONJFRMMHN

Product features

Regulatory Approvals	CE, FCC, IC
Height	31.1 mm
LED indicators	Activity
Firewall	Yes
Width	268.1 mm
Depth	136.5 mm
Security algorithms	IPSEC
Power management	12 W
Rack mounting	Yes
Humidity measurement range	10 – 90%
Harmonized System (HS) code	85176990
Ethernet LAN (RJ-45) ports	10
Flash memory	4000 MB
Serial ports quantity	1
Operating temperature (T-T)	-10 °C – 50 °C
Cabling technology	10/100/1000Base-T(X)
Rack capacity	1U
Quality of Service (QoS) support	Yes
Ethernet interface type	Gigabit Ethernet
VLAN support	Yes
Reset button	Yes
Processor frequency	1000 MHz

Web-based management	Yes
Power over Ethernet (PoE)	Yes
Internal memory	1024 MB
Installed SFP modules quantity	2
Mobile network generation	Not supported
Power source type	DC
Built-in processor	Yes
Storage media	eMMC
Product colour	Black
Access Control List (ACL)	Yes
DMZ support	Yes
Ethernet WAN	Yes
DHCP client	Yes
DHCP server	Yes
Product weight	700 g

Full product description

Ubiquiti Router ER-12P

Ubiquiti EdgeRouter 12P is a Ubiquiti **EdgeMax** router. The device is equipped with **10x Gigabit Ethernet** ports with **PoE and PoE Out** function on all ports and 2x Gigabit **SFP** slots, and additionally a **RJ-45** console port and a **USB 3.0** port. The router is equipped with a quad-core 1GHz network processor and **1 GB DDR3 RAM** and 4 GB built-in memory.

Centralised management

EdgeMax router works under the control of **EdgeOS**. **EdgeRouter 12** is supported and managed by the **UNMS**™ (Ubiquiti® Management System Network), a comprehensive control system with an intuitive user interface. A single control panel manages registered EdgeMAX® devices in multiple locations. **EdgeOS**, in addition to the typical functions found in devices of this type, also offers support for more advanced solutions such as OSPF and BGP routing protocols (also in an IPv6 version), or virtual private networks based on IPSec encryption in VPN and advanced QoS queuing.



ER-12P includes fixing screws for wall mounting. It can also be mounted in a rack using the **EdgeRouter Rack Mount Kit** (kit is not included). Power is supplied via the **DC** socket (9 - 30 V DC) or the **PoE** input on each port (passive PoE, 20 - 30 V DC). A **24 V 2.5A** power supply is included.



Features

- 10 x Gigabit Ethernet ports
- 2 x SFP ports
- 1 x console RJ45 port
- 1 GHz Quad-core MIPS64 CPU
- 1 GB DDR3 RAM
- EdgeOS system
- Ports 0-7 can be configured for layer 2 switching at line rate
- Rack-mountable
- Compact, durable metal case