



Ubiquiti INS-3AF-O-G | PoE Converter | 48V, 802.3af to 24V, 0.5A



link to the product:

<https://www.batna24.com/gb/p/power-supply/ubiquiti-ins-3af-o-g-poe-converter-48v-8023af-to-24v-05a>

Price: **82.74 zł** gross / 67.27 zł net



Manufacturer: UBIQUITI

Referention number: DNXFLPQODRMPI


Product features

Height	30.2 mm
Input voltage	48 V
Width	30.2 mm
Depth	366.6 mm
Surge protection voltage	Yes
Surge protection voltage	15 kV
Input current	0.5 A
Harmonized System (HS) code	85044095
Networking standards	IEEE 802.3af
Ethernet LAN (RJ-45) ports	2
Operating temperature (T-T)	-30 - 70 °C
Ethernet interface type	Gigabit Ethernet
Output current	0.5 A
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) voltage	48 V
RJ-45 output ports	1
RJ-45 input ports	1
Product colour	White
Product weight	90 g

Full product description

Ubiquiti Compatibility

Available in internal and external versions, the **802.3af Gigabit PoE** converter is compatible with most Ubiquiti PoE devices using **100 Mb/s or Gigabit Ethernet** ports. Compatible products include **airMAX** and **UniFi** devices.



Longer cable lengths

High voltage transfers energy in a more efficient way. The instant **802.3af Gigabit PoE** converter enables **longer cable runs** thanks to a more efficient energy supply.



Protection against electrostatic discharges

The 802.3af converters provide additional **±15kV Ethernet isolation** to reduce the risk of ESD damage or overvoltage of connected devices.



Compatibility of the PoE switch

The instant **802.3af Gigabit PoE** converter integrates seamlessly with multiple 802.3af auto detection PoE switches for remote power control. By managing and monitoring the network, you can conveniently **enable remote devices** using the 802.3af switch.

