



**Ubiquiti LAP-120 | CPE | liteAP
AC, 5GHz, MIMO, 1x RJ45
1000Mb/s, 16dBi, 120 degrees
(replacement for
LBE-5AC-16-120-EU)**



0 817882 025539 >

link to the product:

<https://www.batna24.com/gb/p/radio-lines/ubiquiti-lap-120-cpe-liteap-ac-5ghz-mimo-1x-rj45-1000mb-s-16dbi-120-degrees-replacement-for-lbe-5ac-16-120-eu>

Price: **336.69 zł** gross / 273.73 zł net



Manufacturer: UBIQUITI

Referention number: DNXGFNHMERML0K

Product features

Regulatory Approvals	FCC, IC, CE
Height	452.3 mm
Antenna type	MIMO directional antenna
Width	78.7 mm
Depth	54.4 mm
Mounting kit	Yes
Cables included	AC
Compliance certificates	RoHS
Power consumption (max)	7 W
Humidity measurement range	5 - 95%
Harmonized System (HS) code	85177100
Antenna gain level (max)	16 gain
Operating temperature (T-T)	-40 - 70 °C
Quick installation guide	Yes
Cabling technology	10/100/1000Base-T(X)
Frequency band	5 GHz
Mounting	Pole
Processor frequency	533 MHz
Internal memory	64 MB
Processor model	Atheros MIPS 74Kc
Power source type	PoE
Built-in processor	Yes

Product colour	White
Bandwidth note	5150 MHz
Product weight	420 g

Full product description


LiteAP AC provides up to 450+ Mbps of actual throughput

The device has a simple and quick installation, no tools are needed for assembly. **LiteAP AC** provides high throughput and it has a lightweight, elegant antenna with built-in radio.



Sectoral coverage

LiteAp ac has a 2x2 MIMO antenna and communicates with many airmac ac CPE antennas in a **120°** coverage area.



Now with airOS 8

airOS®8 offers advanced features, including **handling of the airMAX ac** protocol, real-time signal analysis and a completely new design for enhanced functionality.



Lightweight and elegant design

LiteAP ac has a lightweight antenna with integrated radio with elegant and **high performance design**.



Flexibility of installation

Thanks to the freedom of adjustment in **three axes**, LiteAP ac can be mounted in seconds.