



Ubiquiti LocoM5 | CPE | 5GHz, 1x RJ45 100Mb/s, 13dBi



link to the product:

<https://www.batna24.com/gb/p/radio-lines/ubiquiti-locom5-cpe-5ghz-1x-rj45-100mb-s-13dbi>

Price: **253.82 zł** gross / 206.36 zł net



Manufacturer: UBIQUITI

Referention number: DN XIJMSKEIK

Product features

Regulatory Approvals	FCC, IC, CE, RoHS
Product type	Network bridge
Height	161 mm
Width	80 mm
Depth	31 mm
Connectivity technology	Wired & Wireless
RAM type	DDR2
Maximum data transfer rate	150 Mb/s
Power consumption (max)	5.5 W
Humidity measurement range	5 – 95%
Harmonized System (HS) code	85176990
Ethernet LAN interface type	Fast Ethernet
Networking standards	IEEE 802.3
Ethernet LAN (RJ-45) ports	1
Antenna gain level (max)	13 gain
Flash memory	8 MB
Processor family	Atheros
Material	Plastic
Operating temperature (T-T)	-30 to 75 °C
Cabling technology	10/100Base-T(X)
Processor frequency	560 MHz
Power over Ethernet (PoE)	Yes

Internal memory	64 MB
Wi-Fi band	Single-band (5 GHz)
Wi-Fi	Yes
Ethernet LAN	Yes
Power over Ethernet (PoE) voltage	24 V
Processor model	MIPS 74Kc
Antenna design	Internal
Product colour	White
Mounting hardware type	Pole
Product weight	180 g


Full product description

Plug and Play installation

Ubiquiti Loco M5 is a compact wireless access point operating in the 5 GHz band, which is ideal for creating radio bridges. It is resistant to harsh weather conditions. Ubiquiti NanoStationLoco M5 has a PoE-powered LAN port. Installation of the device is easy, no special tools are needed.

Advanced software technology

Ubiquiti's airMAX® technology has already been proven in millions of applications worldwide, demonstrating exceptional performance in outdoor environments. The **TDMA airMAX** protocol guarantees high scalability and bandwidth and low latency in unlicensed, multipoint networks.




Efficient airOS system

The versatile technology of Ubiquiti's **airOS®** system enables an efficient, multi-point external network, providing wireless network, bridge and routing configuration and network management services.



Compact access point

The Ubiquiti NanoStation Loco M5 access point has a PoE-powered LAN port. Its modern design, PoE power supply, very favorable isolation factor between polarizations and **15 kV** surge protection for the radio track are features that prove its superiority over other devices of this type. The product can work in the following modes: **Station**, **Station WDS** and **access point**.



Advanced spectrum analyser

The **airView** software provides advanced spectrum analyzer functionality: waterfall, waveform, and real-time spectral views allow operators to identify noise signatures and plan their networks to minimize noise interference.

