



Ubiquiti UA-G3-Intercom | Video Intercom | Indoor/Outdoor



link to the product:

<https://www.batna24.com/gb/p/video-intercoms/ubiquiti-ua-g3-intercom-video-intercom-indoor-outdoor>

Price: **1,569.36 zł** gross / 1,275.90 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGJPPMRMNO



Product features


Regulatory Approvals	CE, FCC, IC, UL 294, CAN/ULC-60839-11-1
Height	324.8 mm
Input voltage	48 V
LED indicators	Yes
Width	113.7 mm
Depth	28.3 mm
Maximum resolution	1024 pixels
Screen shape	Flat
Near Field Communication (NFC)	Yes
Compliance certificates	National Defense Authorization Act (NDAA)
Touchscreen technology	Capacitive
RFID frequency	13.56 MHz
RFID reading distance	30 mm
Power consumption (max)	13 W
Access code reader	Yes
Access chip/card reader	Yes
Authentication type	Access chip/card
Humidity measurement range	5 - 90%
Touchscreen	Yes
Ethernet LAN (RJ-45) ports	1
Buzzer	Yes
Operating temperature (T-T)	-30 - 60 °C

Display diagonal	7 "
Keypad integrated	Yes
International Protection (IP) code	IP65
Mounting bracket(s) included	Yes
Ethernet LAN data rates	1000 Mb/s
Power over Ethernet (PoE)	Yes
Bluetooth version	4.2
Bluetooth	Yes
Built-in speaker(s)	Yes
Fingerprint reader	No
Front camera	Yes
Product colour	Black
Built-in display	Yes
Watch case material	Aluminium
Type	Entrance control terminal
Product weight	965 g

Full product description

Meet the Ubiquiti UA-G3-Intercom Video Intercom

The Ubiquiti UA-G3-Intercom is a **video** intercom that combines the functionality of a camera, intercom and building access system in a single device. Thanks to its rugged design and **PoE** (Power over Ethernet) **technology**, it will perform well both indoors and outdoors, providing **high security**. Remote access and integration with **UniFi Access** allow full control over building access.




Comprehensive Access System

UA-G3-Intercom works with **NFC technology**, enabling **fast and secure access** to a building using NFC cards or key fobs. Combined with **PIN** functionality and remote **unlocking via a mobile app**, the system provides flexibility and convenience for access management. By integrating with UniFi Access, the system is easy to manage and monitor, offering full control over users.




High Quality Picture and Sound

The video intercom is equipped with a **high-resolution camera**, which provides clear images both inside and outside the building. **The two-way intercom** allows real-time communication, giving you full control over the situation at the entrance. With this functionality, you can strike up a conversation with visitors without having to open the door.



Resistance to Outdoor Conditions

The device is designed for **outdoor** use and has an **IP65 rating**, which means it is water and dust resistant. A rugged housing made of **aluminum and polycarbonate** ensures durability in harsh weather conditions. **The camera and speaker** have been specially protected to operate reliably in extreme temperatures from -30°C to 60°C



Wide Range and Easy Installation

The video intercom supports **PoE** (Power over Ethernet), which simplifies installation and reduces the number of cables needed to run the device. With **Bluetooth Low Energy** (BLE) technology and a **Gigabit Ethernet** port, the device offers fast connection and stable data transmission. Installation is intuitive, and mounting is possible either on the wall or with an additional **gooseneck pedestal** adapter.



Safety and Standards Compliance

The **Ubiquiti UA-G3-Intercom** meets high safety standards, with **UL 294**, **FCC**, **CE** and **NDAA** compliance certifications. In addition, the system is resistant to destructive attacks (Level I) and provides a wide range of intrusion protection. Integrated **proximity sensors** and a light sensor (ALS) help detect and monitor the environment.

