



Ubiquiti UACC-AI-Port-RM | Rack Mount Accessory | for UP-AI-Port



link to the product:

<https://www.batna24.com/gb/p/rack-cabinet-accessories/ubiquiti-uacc-ai-port-rm-rack-mount-accessory-for-up-ai-port>

Price: **284.90 zł** gross / 231.63 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGHIJRHRMMKL



Product features

Height	42.8 mm
Width	442.4 mm
Depth	158.5 mm
Storage temperature (T-T)	-40 - 70 °C
Humidity measurement range	20 - 90%
Compatibility	UP-AI-Port
Operating temperature (T-T)	-20 - 40 °C
Rack capacity	1U
Product colour	Black
Watch case material	Polycarbonate (PC)
Type	Rack shelf
Product weight	650 g

Full product description

Rack mount for your Ubiquiti device

If you need a robust and aesthetically pleasing **rackmount** solution, the Ubiquiti UACC-AI-Port-RM is a **dedicated accessory** for the UP-AI-Port. The 1U design allows the device to be easily and securely placed in a standard **rack** for easy organization of your network infrastructure. With durable materials and thoughtful design, this accessory is a practical addition for professional installations.




Stable and secure installation

With **its solid SGCC steel** and **polycarbonate construction**, this bracket ensures the stability of the device in the rack. It allows the UP-AL-Port to **be placed securely**, protecting it from accidental movement. This solution avoids cable problems and improves infrastructure organization.



Easy rack installation

Thanks to **its compatibility with the 1U mounting system**, the installation process is quick and intuitive. The UACC-AI-Port-RM can be mounted in both **standard racks** and mini racks, providing versatility in a variety of IT environments.




Optimal cooling of the device

The case is designed to **allow free airflow** and not interfere with the cooling of the devices. The open design reduces the risk of components overheating, resulting in longer life and stable operation.




Universal application

The **UACC-AI-Port-RM** is dedicated to the **UP-AI-Port**, but can be used for other compatible devices that require rack mounting. Thanks to its standard dimensions, **it fits into most server racks** for added functionality.



1x



2x

M4



8x



4x

10#-32



4x