



Ubiquiti UACC-LRE | Ethernet Repeater | 802.3af/at PoE/PoE+



link to the product:

<https://www.batna24.com/gb/p/network-accessories/ubiquiti-uacc-lre-ethernet-repeater-8023af-at-poe-poe>

Price: **124.30 zł** gross / 101.06 zł net



Manufacturer: UBIQUITI

Referention number: DNXGGJKPHRMMJN

Information:

Ubiquiti UACC-LRE is a compact, cost-effective PoE Ethernet repeater that makes it easy to extend network range and connect remote devices, such as access points and cameras, even far from the PoE switch. Equipped with 2 gigabit RJ45 ports, it receives PoE/PoE+ power and passes it through via PoE passthrough. It allows multiple adapters to be daisy-chained, creating long-range connections of up to 1 km at 100 Mb/s. It offers throughput of up to 867 Mb/s, a range of up to 183 m, 10 kA+ surge protection, and operation in harsh conditions from -40 to 80°C, for both indoor and outdoor use.

Product features

Regulatory Approvals	CE, FCC, IC
Product type	Network repeater
Height	196.5 mm
LED indicators	Yes
Width	93.5 mm
Depth	39 mm
Connectivity technology	Wired
Power consumption (max)	1.5 W
Humidity measurement range	10 - 95%
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.3af
Ethernet LAN (RJ-45) ports	2
Material	Polycarbonate (PC)
Operating temperature (T-T)	-40 to 80 °C
International Protection (IP) code	IPX5

Power over Ethernet (PoE)	Yes
Ethernet LAN	Yes
Antenna design	Internal
Product weight	350 g

Full product description


Ubiquiti UACC-LRE

The Ubiquiti Long-Range Ethernet Repeater (UACC-LRE) is a PoE extender with **2 Gigabit Ethernet ports** that allows you to easily and cheaply extend the reach of your Ethernet network. With GbE RJ45 ports, the UACC LRE can receive PoE/PoE , while providing passthrough PoE output. It is also able to chain multiple UACC LRE adapters together to connect access points and cameras that are far away from the PoE switch. **It works without problems in extreme temperatures (from -40 to 80 degrees celsius)**



Capabilities of UACC-LRE

This device is also capable of chaining multiple UACC LRE adapters together to connect access points and cameras that are far from the PoE switch. And on top of that, it **works without problems in extreme temperatures (from -40 to 80 degrees celsius)**



How UBIQUITI UACC-LRE works

This compact and budget-friendly module **can be used for both indoor and outdoor applications**. Simply connect a compatible network switch to the Gigabit Ethernet input port, then connect a remote device to the RJ45 Gigabit Ethernet passthrough port to transfer data and power. Multiple Ethernet Repeaters can be daisy-chained to create connections up to 1km long, operating at **100 Mbps and supporting up to 7W of power**.



Product features

- Creates long-range connections between switches and PoE devices,
- Can be daisy-chained with other UACC LRE devices
- High temperature resistance
- Throughput of up to 867 Mbps,
- range up to 183m.
- 10kA surge protection
- Housing suitable for outdoor use (from -40 to 80° C)