



Ubiquiti UACC-OM-SM-1G-S-20 | SFP Module | BIDI, SM, Simplex LC, 1.25Gbps, 3km



link to the product:

<https://www.batna24.com/gb/p/sfp-modules/ubiquiti-uacc-om-sm-1g-s-20-sfp-module-bidi-sm-simplex-lc-125gbps-3km>

Price: **870.11 zł** gross / 707.41 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGGKHOERMLON

Product features

SFP transceiver type	Fiber optic
CD-ROM interface type	SFP
Maximum data transfer rate	1250 Mb/s
Maximum operating temperature	70 °C
Operating temperature (T-T)	0 - 70 °C
Minimum operating temperature	0 °C
Fiber optic connector	LC
Single-mode fiber (SMF) supported	Yes
Product colour	Stainless steel
Maximum transfer distance	3000 m
Rx wavelength (max)	1550 nm
Rx wavelength (min)	1310 nm
Tx wavelength (max)	1550 nm
Tx wavelength (min)	1310 nm

Full product description

Meet the Ubiquiti UACC-OM-SM-1G-S-20 - an advanced SFP module designed for reliable and efficient long-distance data transmission!

With support for BIDI, this fiber-optic module enables data rates of 1.25Gbps over distances of up to 3km. Ideal for network infrastructures requiring high bandwidth and stable connections.

Advanced BIDI Technology

The Ubiquiti UACC-OM-SM-1G-S-20 module uses BIDI technology, which allows **bi-directional data transmission** over a single fiber optic cable. This reduces the amount of cabling required, resulting in lower installation and network maintenance costs.



High throughput and long ranges

This SFP module offers up to 1.25Gbps throughput for **fast and reliable data transmission**. Its transmission range of up to 3km makes it ideal for extensive fiber networks that require long-distance connectivity.



Reliability and Durability

The Ubiquiti UACC-OM-SM-1G-S-20 is designed for **long-term operation in demanding environments**. Its robust design and high-quality components ensure reliability and durability, making it an ideal choice for professional fiber optic networks.