



Ubiquiti UAP-AC-SHD | Access point | UniFi, MIMO, AC1700 WAVE 2, Dual Band, 2x RJ45 1000Mb/s, PoE+



link to the product:

<https://www.batna24.com/gb/p/access-points/ubiquiti-uap-ac-shd-access-point-unifi-mimo-ac1700-wave-2-dual-band-2x-rj45-1000mb-s-poe>

Price: **1,916.57 zł** gross / 1,558.19 zł net



Manufacturer: UBIQUITI

Referention number: DNFXFMNQNMNLO



Product features


Regulatory Approvals	CE, FCC, IC
Height	220 mm
Width	220 mm
Depth	48.1 mm
Security algorithms	WEP
Maximum data transfer rate	1000 Mb/s
Power consumption (max)	20 W
Rate limiting	Yes
Humidity measurement range	5 - 95%
Harmonized System (HS) code	85176990
Networking standards	IEEE 802.11a
Ethernet LAN (RJ-45) ports	2
Antenna gain level (max)	6 gain
Wi-Fi data rate (max)	1733 Mbit/s
Operating temperature (T-T)	-10 - 70 °C
Quality of Service (QoS) support	Yes
VLAN support	Yes
Reset button	Yes
Power over Ethernet (PoE)	Yes
Antennas quantity	2
Product colour	White
Internal	No

5 GHz	Yes
2.4 GHz	Yes
Product weight	700 g

Full product description

UAP-AC-SHD access point from Ubiquiti - higher protection level

The **UAP-AC-SHD** access point from Ubiquiti is an excellent solution that guarantees higher technological level of security. Absolute connection security is provided by **WIPS (Wireless Intrusion Prevention System)** and **WIDS (Wireless Intrusion Detection System)** solutions, which constantly monitor Wi-Fi channels for threats. Access point is ideal for networks with a large amount of data to be encrypted, such as banks and hospitals. Install the UniFi SHD AP in high density environments that require maximum wireless performance. The UniFi SHD AP features simultaneous dual band 4x4 MU-MIMO technology and 802.3at PoE+ compatibility.



Management with the UniFi OS Console

The UniFi OS Console can handle thousands of UniFi access points, map networks, quickly manage system traffic and add more UniFi access points. Take advantage of the UniFi SHD AP radio environment to detect and troubleshoot nearby interference, analyze radio frequencies, select the optimal deployment of access points and configure settings.

Increase productivity with MU-MIMO Wave 2 technology

The initial 802.11ac Wave 1 SU-MIMO technology (Single-User, Multiple Input, Multiple Output) allows earlier generation APs, such as UniFi AC Pro, to communicate with only one client. 802.11ac Wave 2 MU-MIMO technology (Multi-User, Multiple Input, Multiple Output) allows to

communicate with many clients at the same time, which significantly increases the bandwidth for many users and improves the comfort of network use. Assuming the same conditions, Wave 2 radio provides an improvement of up to 75% compared to Wave 1, increasing wireless performance and/or serving more clients at the same level of performance.

UniFi® Ecosystem

UniFi® Ecosystem allows the system integrator to efficiently and effectively create wireless network projects of any size, from small to large, with unlimited scalability potential.

